

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/



SELECTIONS

FROM THE

RECORDS OF THE GOVERNMENT OF INDIA,

FOREIGN DEPARTMENT.

No. CCXII.

FOREIGN DEPARTMENT SERIAL No. 1.

RAJPUTANA

SANITARY, VACCINATION, DISPENSARY, AND JAIL REPORT FOR 1884.



Published by Anthority.



CALCUTTA:

PRINTED BY THE SUPERINTENDENT OF GOVERNMENT PRINTING, INDIA.

• 1885.

FROM

THE AGENT TO THE GOVERNOR GENERAL,
RAJPUTANA,

To

THE SECRETARY TO THE GOVERNMENT OF INDIA,
FOREIGN DEPARTMENT.

Dated Abu, 8th October 1885.

SIR,

I have the honor to forward the report for 1884 by Surgeon-Major L. D. Spencer, M. D., on sanitation, vaccination, dispensaries, and jails in the Native States of Rajputana and in Ajmere-Merwara.

- 2. During the year under review the births registered in Ajmere-Merwara amounted to 12,547, being 333 in excess of the number recorded in 1883, the number of deaths rose from 7,589 to 10,424, representing an increase of 37 per cent. upon the mortality during the previous year.
- 3. The compilation of vital statistics is still in its infancy in the Native States, and although some improvement is acknowledged to have taken place in the returns furnished from Ulwur, the table given in the 6th paragraph of the Superintendent-General's report is obviously defective. More complete records cannot, however, be expected in this early stage of statistical progress, nor have I deemed it politic to insist at once upon the submission of more elaborate returns. For the present we must, I fear, rest content with the information that has been supplied, and trust to time and the intelligence of Native Chiefs for further progress in this direction.
- 4. In 1884 an outbreak of cholera occurred at Ajmere, and the States of Dholpur, Bhurtpore, Jeypore, Kerowlee, Ulwur, Tonk, and Jodhpore were also visited by this epidemic. In Ajmere 227 deaths occurred out of 361 seizures, while in the Native States out of 2,278 cases, 1,056 proved fatal. The outbreak lasted from May to October.
- 5. The mortality from small-pox was greater than in 1883; 948 fatal cases occurred in Ajmere: of the 920 deaths from this cause in Native States, more than half the number is recorded against the city of Jeypore. The mortality from fever and bowel complaints was also higher than in the preceding year.
- 6. Dr. Spencer's report bears testimony to the improvements effected in Native States in the matter of sanitation, and there is much reason to hope that the measures already introduced may be more widely adopted, as the value and success of their results obtain recognition. Much of course is still needed, but it will be seen that during the year under review no little activity has been displayed in almost every State from Bhurtpore to Jodhpore, and from Bikanir to Jhallawar.

Important works are in progress for the better conservancy of Ajmere, notably the removal of sewage by rail, and the arrangements for supplying the town with filtered water. Although these matters have not yet reached an advanced stage, the municipality appears to show some appreciation of the great importance of the whole question, and may be trusted to bring to a satisfactory conclusion the work which has now been commenced.

7. I regret to observe that vaccine operations have declined in Ajmere during the year under review, owing, it is said, to the incompetency of the Native Superintendent. Arrangements have, however, been made to secure the

services of a more efficient man, and there is promise of better results being achieved in the current year. On the other hand, the report for the Native States is generally favorable, improvement being visible under every head except that of primary vaccination in which the success achieved falls slightly below the standard attained in 1883. It is satisfactory to observe that the violence of the opposition to vaccination appears to be diminishing in Rajputana.

8. No change is reported in the number of dispensaries established in Ajmere-Merwara. In Kerowlee three new ones were opened, which gives a total of 69 for the Native States. All these latter institutions are maintained at the sole expense of the Darbars, no subscriptions being received from the public or contributions from any local bodies.

The returns for Ajmere show a decline of 15 per cent. in the number of inpatients, and a rise of 2 per cent. in the aggregate of out-patients. In Native States the total of in-patients was nearly the same as in 1883, while the number of out-patients rose by 14 per cent., this result being due, no doubt, to an increase in the number of dispensaries. In Ajmere-Merwara and the Native States 45 per cent. of those who frequented the dispensaries were women and children. I notice with satisfaction an increase in the amount of subscriptions received from natives in Ajmere, while the large expenditure incurred in Native States is sufficient evidence of the appreciation in which the institutions are there held.

9. The statistics referring to the Ajmere jail exhibit a decided improvement upon the figures for 1883. Although there was an increase of 21 in the daily average number of inmates, the average daily number of the sick was 6, or the same as in the previous year. The two deaths which occurred during the year represented a mortality of only 3 per thousand, while in 1883 the death-rate was 11 per mille.

In the 13 prisons in Native States the average population aggregated 3,020, the death-rate was 45 per thousand, but if cholera, which is an exceptional death-cause, be excluded, the rate of mortality is reduced to 37 per thousand against 33 per mille in 1883. Cholera broke out in five jails causing 24 deaths out of 37 seizures. A new jail has been erected at Tonk, and plans are under preparation for the construction of a suitable building at Oodeypore. The prison at Kerowlee has been considerably enlarged, while at Jeypore and Dholpur some improvements have been introduced, but over-crowding still exists at both the latter places. It will be observed that the question of providing additional buildings at Jeypore is under the consideration of the Darbar.

I have the honor to be,

SIR,

Your most obedient Servant,

E. R. C. BRADFORD, Colonel,

Agent to the Governor General.

REPORT

ON THE

ADMINISTRATION OF RAJPUTANA

(SANITARY, VACCINATION, DISPENSARY, AND JAIL)

FOR

1884.

SECTION 1.—SANITATION AND VACCINATION.

METEOROLOGY.

TABLE 1 .- Rainfall of Ajmere.

						Inc	ms.	
		Year.			Januar y to May.	June to September.	October to November.	Total.
1884	•	•	ě	٠	0-51	26.30	0-29	27-04
Average q	f previous six	years.	:	•	1.85	20.63	0-91	28.39

^{1.} The rainfall at Ajmere was more than 3½ inches in excess of the average for the previous 6 years and, greater by 9½ inches than in 1883. Twenty-seven inches fell during the year.

TABLE 2.

				Year.						Rainfell.	Average pric the Ajme per r	e of wheat in re division upee.	Death-rate per thousand of popula-
										Inches.	Seers.	Chs.	tion.
1880	•		•	•					•	34	11	10	31
1881								•		21	16	2	27
1882	•		•							27	15	12	18
1883	•					•		•	•	17	15	5	16
1884	•	•	•	•	•	•	•	•	•	27	16	3	22

^{3.} The price of food, taking wheat as the standard, was lower than it has been since 1877.

In Native States the fall varied much; in the northern States being much more than usual, while in the south the amount was below the average. It fell at the right time for the crops however, which were generally excellent throughout the province.

^{2.} The Jeypore observatory continues to supply valuable meteorological information. The meteorograph, anemograph, and sun-shine recorder, and the other scientific apparatus, with the exception of the anemometer, are all in working order.

VITAL STATISTICS.

Table 3 .- Death-rate of population of the Ajmere Division.

STATEMENTS I TO X.

-						DEA	TH.	RA7				USANI NUM.	SAND POPULATION UM.					PERCENTAGE AMONG TOTAL DEATES.									
						81	X,		BRA	80¥.			CAUSES.									LOT.					
	Y	eat.	•		Total.	Male.	Pemale		 	rs of	<u> </u>	Cholers.	Small-pox.	Forers.	Bowel diseases.	Injuries,	All others.	Under 1 year. 1 and under 5. 6 and under 10. 10 and under 20. 20 and under 20. 20 and under 60. 60 and under 60. 60 and under 60.			ğ						
1983					16	17	16	20	16	16	12	0.18	1	10	,	0-57	3	27	20	5	•	8	8	•	8	•	•
1894	•		•	•	23	23	31	16	16	24	24	0.49	2	14		0.45	8	25	28	4	2	8	8	8	•	9	•

- 4. The death-rate rose from 16 to 22 per thousand, the increase being shown in 5 out of the 6 causes given in the above table. The greatest number of deaths took place in the 3rd and 4th quarters of the year. Forty-eight per cent. of the mortality occurred in children under 5 years of age, and 18 per cent. in people above 50, while the smallest number of deaths was registered in persons between the ages of 10 and 15 years. These percentages are nearly identical with those given in the report for 1883.
- 5. Births.—The birth-rate was 27 per thousand against 26 per mille in 1883. The remarkable variation in the ratios given for the different circles would seem to point to defective registration, which is apparently not properly carried out even in Ajmere town, Ajmere suburbs, and Beawar town, for, according to the returns, the deaths exceeded the births in these three circles by 8, 12, and 6 per thousand respectively. One hundred and sixteen males were born to every 100 females.
- 6. In Native States, as has been observed in previous reports, the importance of vital statistics is not as yet recognized. Efforts have been made through the Political Agents and Medical Officers to obtain the information asked for by the Surgeon-General in accordance with Statements I to X of the Standard Series. These efforts, however, have met with but little success, and in consultation with the Agent to the Governor-General it has been decided that it is undesirable to press for the submission of returns as elaborate as those asked for. It is considered that for the present, at any rate, we had better be content with the information given in the form appended and marked Table 4. It is hoped that in time the advantages to be derived from the acquisition of this kind of knowledge will be perceived, and that then a staff, which does not now exist, for the collection of these statistics will be organized in each State. It will not be out of place to insert here paragraph 11 from my Report for 1882. It is there observed-"It is not many years since sanitation was almost totally disregarded in Europe, and it is only recently that anything like a sound public opinion has been established on the subject amongst Western communities. It is not therefore surprising to find that though individuals here and there dimly perceive the importance of hygiene, the people generally in Native States are good-naturedly indifferent to it. The progress made in the endeavour to break ancient habits and to change immemorial customs is generally slow, and the process while necessitating tact requires, perhaps, above all things patience. It may be as well also to mention here, that we owe any information received regarding jails and medical or sanitary arrangements in Native States entirely to the courtesy of the different Darbars. Under these circumstances anything but criticism of the mildest character would be out of place in this report; for if dissatisfaction with the statistics furnished were published, it would probably have a deterrent effect and might lead to the information required being either only partially supplied or altogether withheld. Rajputana, therefore, differs widely from those Provinces in which it is merely necessary to issue an order to have it promptly executed."

TABLE 4 .- Births and Deaths in Native States.

				3		Brar	RS.					D	BATE	.			
Name.	•			Population according census of 1881.	Male.	Female.	Total.	Ratio per 1,000 of population.	Cholers.	Small-pox.	Fevers.	Bowel diseases,	Snake-bite.	Injuries.	All others.	Total.	Batio per 1,000 of population.
Jeypore (city)		•		142,578	3,279	2,213	4,493	81	52	484	2,487	518			2,085	5,626	10
Bhurtpore (city)	•			66,163		•••	981	14							1,063	1,062	16
Ulwar (aity) .		•		49,967					4	54	348	27			571	1,004	20
Oodeypore (city)		•		38,214			596	15		4	814	81		18	113	984	26
Jhalrapatan (city)		•		11,469	178	134	812	27	١	2	139	56		10	8	200	17
Bhurtpore (State)		•	•	579,377		•••	992	2	30	86	691		1	7	51	868	8
Jhallawar (State)			•	340,488	1,743	1,296	3,039	9		81	1,533	967		123	298	2,899	
Ulwur (State)	•	•	•	633,059	9,424	7,149	16,573	24	40	207	6,428	891		268	598	8,441	14
	Tot	al	•	1,861,215	13,624	10,792	26,935	14	135	920	13,430	2,390	6	425	4,778	21,084	u

7. The above table affords all the information regarding vital statistics received from Native States. Efforts will continue to be made to improve the accuracy and completeness of this return, which is at present obviously defective in both of these qualities. The statistics from Ulwur are fuller and more correct than those furnished by the other States, which is accounted for by the Maharaja taking an enlightened interest in the subject. The returns for the city of Jhalrapatan and the State of Jhallawar have not yet been received, but should they arrive in time the figures will be entered in Table 4.

CHIEF DISBASES.

8. Number of deaths in the Ajmere Division.—The following table shows the total number of deaths recorded from disease and injuries:—

TABLE 5 .- Deaths according to diseases in the Ajmere Division.

STATEMENT VI.

YEAR.	Cholera.	Small-pox.	Fevers.	Bowel com- plaints.	Injuries.	All others.	TOTAL.
1893	87	579	4,719	824	261	1,119	7,589
1884	227	948	6,428	1,205	207	1,409	10,424

The mortality was greater by 37 per cent. than that registered for the previous year, the increase being markedly shown in 5 out of 6 headings in the table.

- 9. Ajmere was again visited by an epidemic of cholera, which, however, was neither so severe nor so widespread as in 1882. Cases were recorded in 11 out of the 23 circles, but the suburbs and town of Ajmere suffered much more severely than the outlying districts.
- 10. The Officiating Civil Surgeon states that the first case occurred on the 25th of May in a woman lodging in a hut in the suburbs of Ajmere who arrived the day before vid Agra from Aligarh, where people were suffering from cholera. Disinfectants were freely used about the hut, clothing, &c., of the patient, and the usual sanitary precautions adopted. There was no apparent difference between the site and surroundings of this hut and the other huts where cholera did not occur.
- 11. Another seizure did not take place in the neighbourhood of Ajmere until the 15th of June, when 2 persons were attacked, and 4 more cases speedily followed. These 6 cases all occurred near the Delhi and Madar Gates of the city. The disease now remained quiescent for some days, bursting out again on the 2nd of July in the city and suburbs, where before the end of the month 253 persons were attacked, of whom 114 died. In August 84 cases with 43 deaths occurred, the disease finally disappearing from the suburbs and from the division on the 7th of September.
- 12. One hundred and twenty-nine cases with 59 deaths took place in the town of Ajmere, and 222 cases with 107 deaths in the suburbs, all of which were seen by the Medical Staff. Fifty-six deaths were reported by the police in the outlying districts, and 10 persons, of whom 5 died, were attended by Hospital Assistants. The total number of cases treated by the Medical Staff, therefore, was 361, of which 171 died. Adding to these the 56 deaths reported

by the police brings the number of fatal cases registered during the epidemic to 227. It is remarkable that in the Merwara Battalion lines, in the Mayo College and ground, and in the jail, where sanitation is closely attended to, not a single case of cholera occurred.

13. The arrangements made by Dr. Crofts for the treatment of the sick were excellent. He did what lay in his power to meet the sanitary requirements of the station, and the untiring energy displayed by him throughout the epidemic was most praiseworthy. Dr. Crofts speaks in high terms of Apothecary C. Pierce of the Railway Department, who held executive charge of the cholera hospital, and also of Hospital Assistant Elahi Buksh of the Ajmere Dispensary, both of whom, with the staff under them, did their best to relieve those suffering from the malady.

14. In Native States the number of cases of cholera recorded in the weekly returns was 2,278, of which 1,056, or 46 per cent., proved fatal. Seven States were more or less affected by the disease, which was much more severe than in 1883, and caused a greater mortality than in 1882, when a larger number of persons were attacked by it. As far as can be ascertained, it commenced about the middle of May and ended on the 23rd of October.

TABLE 6.—Cholera r	reported weekly to	by the Native	States at the til	ne of its occurrence.
--------------------	--------------------	---------------	-------------------	-----------------------

,	Na	ME.				Cares,	Deaths.	Percentage of deaths to cases.	
Jeypore (city)						39	38	97	
Bhurtpore (city)			. •			65	29	44 ,	
Dholpur (city)		•				459	121	26	
Kerowlee (city)					•	364	174	48	
Tonk (city) .					•	188	108	57	
Deoli (Cantonmen	ıt)	•				1	. 1	100	No case or death is recorded
Jeypore (State)			•	•	•	289	248	86	against Ulwur city in the weekly reports.
Jodhpore (State)				•		438	134	30	
Bhurtpore (State)		•		•	•	213	121	57	
Ulwur (State)				•		38	16	42	
Dholpur (State)		•				136	40	29	
Kerowlee (State)	•		•			48	26	54	
			T	otal		2,278	1,056	46	

^{15.} The first cases were reported in Dholpur and Bhurtpore on the 16th and 17th of May, and between these dates and the 31st of August and 3rd of September, 595 seizures with 161 deaths had taken place in Dholpur and 278 seizures with 150 deaths in Bhurtpore.

- 17. In Kerowlee the first case to place on the 27th of May, and before the disease ceased on the 11th of September, 412 persons were attacked and 200 died of it. The epidemic was sharply felt in the city, where 174 deaths occurred out of 364 seizures.
- 18. In Ulwur, between the 4th of June and the 9th of August, there were 38 cases and 16 deaths, these being reported from 12 different localities.
- 19. On the 5th of July cholera broke out at Pali in Jodhpore, and subsequently a few cases occurred at Sojat. It fell with considerable severity upon Pali, which the Agency Surgeon says was the dirtiest town in Marwar, with a water-supply drawn from a tank which must have received much of the surface drainage. The inhabitants believe that the disease was introduced from Ajmere by a passenger in the railway, but the grounds for this belief were not

^{16.} In Jeypore, according to the weekly returns, cholera appeared at two places on the 24th of May; the Agency Surgeon, however, in his annual report states that a case, followed by three others, was said to have occurred on the 6th of May. The first authentic case was apparently that of a boy who came from Muthra, where cholera was prevalent, and died on the platform at Bandikui on removal from the train. Three hundred and twenty-eight cases and 286 deaths were registered before the disease disappeared from Jeypore and from Rajputana on the 23rd of October.

substantiated by enquiries made on the spot. It is stated that in spite of its filthy condition the town has been free from cholera for 15 years. The epidemic has not proved an unmixed evil, since its occurrence caused the place to be cleansed, and sanitation to be somewhat attended to. Four hundred and thirty-eight seizures and 184 deaths were reported at Pali and Sojat, of which 33, with 12 deaths, happened at Sojat, the Agency Surgeon attributing the comparative immunity to the superior sanitary state of this town. The last case was registered on the 26th of September.

- 20. One doubtful case was reported from the cantonment of Deoli on the 21st of July.
- 21. On the 11th of August the city of Tonk was attacked by the disease which disappeared on the 23rd of September, causing during that time 108 deaths out of 188 cases. The measures recommended by 1st Class Hospital Assistant Pirbhu Lall, who has submitted a creditable report on the epidemic, were judicious, and would seem to have been promptly adopted by the Darbar. Before the appearance of cholera at Tonk it had been prevalent in several adjacent villages, the inhabitants of which had free intercourse with the people of the city. The first case occurred in a sepoy, aged 22, of cleanly habits, who, when he was not on guard at the gate, lived, with 8 others, in a house capable of accommodating 20 people, in which a person died of cholera in 1882. The house itself apparently only differed from its neighbours by being in a better sanitary condition than they, but the street in which it is situated is 7½ feet wide and was very dirty. The sepoy was the only person in the street who suffered from the disease. The water-supply was drawn from a well, 48 feet deep, used for both bathing and drinking purposes. The water was low, and was probably contaminated by the dirty mud surrounding the mouth of the well.
- 22. The figures regarding cholera given in this report have been taken from the Monthly Returns submitted to the Sanitary Commissioner with the Government of India, as it is considered that these figures are less likely to be incorrect than those furnished at the end of the year by the different Darbars. The discrepancy in the number of deaths entered against 2 States and 2 cities in Table 4, and those recorded against the same States and cities in Table 6, illustrates the difficulty of obtaining exact information from the Raj authorities, who, however desirous they may be of affording it, are without the means of collecting the required data. The deaths registered against cholera therefore (and the same applies to other diseases), must be looked upon as only giving some idea of the number of those who died. The mortality may have been much greater, or in the absence of persons with medical knowledge certain diseases may have been credited with deaths which should have been debited to other maladies.
- 23. Small-pox was widely distributed in the Ajmere Division, fatal cases occurring in 21 out of the 23 circles of registration. Nine hundred and forty-eight persons died of the disease, of whom 17 only were over 12 years of age. The deaths in Kekri Town and Sawer District reached the high figure of 7 and 6 per thousand of population. These returns bring prominently to notice that the extension of vaccination is a matter of vital importance.
- 24. More deaths from small-pox were reported from Native States than in the previous year. According to Table 4, there were 920 fatal cases of which more than half are shown against the city of Jeypore.

TABLE 7.—Quarterly deaths from Cholera and Small-pox in the Ajmere Division.

Statements VII & VIII.

				:		QUARTERS OF	the year.		
					1st.	2nd	3rá.	4th.	Total.
Small-pox Cholera	•	•	•	•	293	521, 8 1	94 21 9	4 Ö	919 227

^{25.} Table 7 shows the quarterly distribution of deaths from small-pox and cholera in the Ajmere Division.

^{26.} Referring again to Tables 5 and 4, we find that fevers and bowel complaints caused a much larger mortality both in the Ajmere Division and in Native States than in 1883. This exemplifies what appears to have been the invariable rule in Rajputana, viz., that much sickness



follows much rain. Probably a large proportion of this sickness is preventible, and in course of time will gradually disappear before improved drainage, increased cultivation, and other sanitary measures.

SANITATION.

- 26. Ajmere Division.—Ajmere. The arrangements for the removal of the sewage by rail, and for supplying the town with filtered water are not yet completed, but it is expected they will be finished by the end of this year or the beginning of 1886. The Municipal Committee has paid considerable attention to sanitation, but progress is slow. Something, however, has been accomplished, though much remains to be done, and unless it be done quickly, the health of the people must suffer. The Officiating Civil Surgeon called the attention of the Committee during the cholera epidemic to some reforms which have long been urgently required, and it is hoped that some of them will be presently carried out. Several of the members fully recognize the paramount importance of sanitation, and large sums have been spent on its improvement.
- 27. Each vaccinator's knowledge of the Sanitary Primer is tested in Ajmere and in Native States, and he is instructed to take every opportunity of spreading information regarding the laws of health amongst the villagers. The Primer has also been introduced into some of the schools.
- 28. Native States.—A general, if a somewhat unequal, advance has been made in sanitation by the Native States. This advance is shown not only by an increasing interest in the cleanliness of the cities, but also by improvements effected in jails and dispensaries. When it is remembered that not so many years ago (see report for 1872, paragraph 5) some of the prisoners in Rajputana picked up a precarious subsistence by begging in the streets, it will be readily admitted that their present condition, though in some instances leaving much to be desired, is one of comparative health and comfort.
- 29. Jeypore. Dr. Hendley in his annual report remarks: "The adoption of a complete conservancy scheme for Jeypore has been postponed pending the completion of some great district engineering works, after which the Executive Engineer, Colonel Jacob, proposes, with the consent of the Darbar, to transfer a portable railway to the city, which will enable the Municipality to have the rubbish and excreta collected by the present conservancy staff at depôts at convenient distances and then removed by rail to the suburbs." Several minor improvements were sanctioned, viz., the purchase of 20 conservancy carts, the erection of two sample latrines and four urinals, each of the latter being provided with swing buckets. In two districts progress has been made in village sanitation, but in other parts of the State Dr. Hendley considers it doubtful whether much has been done in this direction.
- 30. In Ulwur, owing to the intelligent interest taken in the subject by His Highness the Maharao Raja, the advance reported in previous years has, it is believed, been fully maintained.
- 31. In Jodhpore, hitherto backward as regards the science of health, a sanitary movement has been initiated by the Municipal Committee appointed by the Darbar. The staff of sweepers has been reorganized and increased, rubbish carts purchased, and latrines, as an experiment, erected.
- 32. Oodeypore, Kotah, Jhalrapatan, Bhurtpore, and other cities are kept clean by sweepers regularly employed and the filth is removed in carts or on buffaloes.
- 33. At Kerowlee a Municipal Committee has been established by the Darbar, the President of which is the heir-apparent of this ancient line. Under their auspices the sanitation of the city is now attended to, and the jail and dispensary have been much improved. Seven years ago pigs, dogs, and cattle, aided by the fowls of the air, were the chief if not the only scavengers.
- 34. Even far away in the desert at Bikanir, they are buying rubbish carts and improving the jail, and they would have erected latrines had they been encouraged in doing so. But in a place like Bikanir, with a light, dry, sandy soil, with the water 300 feet from the surface, and with only a few inches of rain a year, it is, in my opinion, better to mark off carefully selected areas, to which the people will willingly resort, than to press them to visit latrines which, without constant supervision, rapidly become abominably offensive.
- 35. While, therefore, an enormous amount remains to be done, it can be confidently asserted that something has already been effected, and that progress is being made towards the improvement of sanitation in Native States.



VACCINATION. TABLE 8.—Vaccination. Statements I and II.

		٠ •	PRIMAI	Y VACCINA	rior.	Ra	-VACCIBATIO	of.	Cos	T.	E OF
		Average number	Total.	Successful.	Percentage.	Total.	Successful.	Percentage.	Total.	Per success- ful case.	Average num of operations
										Pis.	
Ajmere Division	§ 1888	6	5,041	4,778	89	1		•••	778	88	840
Ajmere Division	1884	6	4,626	8,982	86	85	29	82	749	86	777
Native States .	∫ ¹⁸⁸³	74	114,307	107,628	94	408	291	71	10,826	19	1,550
ATBULTO DURIOS ,	1884	74	142,896	131,806	92	850	700	82	11,247	16	1,943

- 36. In the Ajmere Division there was a decrease in the total number operated on, in the number of successful cases, in the percentage of success, and in the average number of operations performed by each vaccinator. The total cost was a little less than for the previous year, while the average cost of each successful case was higher by 3 pie. Details are shown in Table 8.
- 37. The Civil Surgeon of Ajmere, who is also Superintendent of Vaccination, remarks that "For nearly two months the establishment was short by one vaccinator, which in part accounts for the falling off;" and again "The Native Superintendent has not been a success since his appointment, being listless and wanting in energy, and the Civil Surgeon is generally too fully occupied to be able to thoroughly supervise the working of vaccination."
- 38. There is no doubt that the small number of persons vaccinated, and the low percentage of success, are due chiefly to want of supervision. As the Civil Surgeon has not much time to give to the work, it is essential that he should have a really good Assistant, and it was thought that such a man had been secured, but unfortunately after a year's trial he has proved a failure. Endeavours are now being made by the Civil Surgeon to find an efficient Native Superintendent, and if successful in his efforts vaccination should soon improve both in quantity and quality.
- 39. In Native States the number of successful vaccinations increased by 22 per cent. This increase, which occurred in 11 out of 15 States, was most conspicuous in Jeypore, where more persons were successfully vaccinated by 78 per cent than in 1883. The adoption of the dispensary system mentioned in last year's report partly accounts for the additional number of operations performed in Jeypore. This system is on its trial in this State, and should experience decide against it the present arrangements will be modified.
- 40. The decrease in Ulwur would seem to have been mainly due to the Native Superintendent being unfit for duty during half of the season, and in Bhurtpore, Tonk, and Kerowlee to the difficulty experienced in establishing a good vesicle, and to inefficient supervision.
- 41. The percentage of success in primary vaccination, 92, is less by 2 per cent. than in 1883, and varies among the larger States from 99 in Ulwur to 87 in Jeypore. Of the smaller States Shahpura as usual is lowest on the list, but it is hoped that a change may be effected by the vaccinator recently appointed.
- 42. Eight hundred and fifty persons were re-vaccinated with a success equal to 82 per cent. It seems probable, however, from the returns, that the term "re-vaccination" is not understood by the vaccinators in Jeypore and Sirohee. Steps will be taken to insure the meaning of the word being made clear to them.
- 43. The average number of persons vaccinated by each vaccinator increased by 25 per cent. The reason, as explained in previous reports, for the remarkably high averages recorded in Bhurtpore and Kerowlee, is that in these States it has long been the custom for the Hospital establishment to assist in the work.
- 44. The establishment remained the same as in the previous year and numbered 74 vaccinators.
- 45. The expenditure was larger by nearly 4 per cent. than in 1883, the increase being chiefly shown under the head of travelling allowance. The average cost of each successful case was 16 pie against 19 pie in 1883, and varied from 7 and 9 pie in Bhurtpore and Kerowlee to 60 in Bikanir. The explanation given in paragraph 43 accounts for the small expenditure in Bhurtpore and Kerowlee, while the high average in Bikanir is obviously due to the small number of operations performed by the single vaccinator employed in that State.

Digitized by Google

Table 9.	Verification	of returns	nf	paccination.
Luuie J.	7 C 1 6 1 6 C C C C C C C C C C C C C C C	UJ 7 CV WI NO	U)	vaccentuseore,

-		ses	8	uecessful c	ases seen.		80en.		Fuocess Seen.	tions as in	s seen ocins-
Name of District or State	Superintendent and Native Superintendent.	Number of villages visited.	8 Good marks.	good marks,	1 Good mark.	Total.	Unsuccessful cases seen.	Total number seen.	Percentage of su amongst cases se	Number of vaccinations and re-vaccinations in each State.	Percentage of cases seen to number of vaccina- tions in each State.
Ajmere .	{ Superintendent	3 34	22 232	49 838	4 85	75 605	6 144	81 7 49	92 ⁻⁵⁰ 80 ⁻⁷⁷	} :4,661	17:80
Jeypore .	Superintendent and Assistant Superintendent Native Superintendent .	No record 	4,110 3,762	2,823 3,256	1,458 2,002	8,391 9,020	581 935	8,922 9,955	94°04 90° 6 0	} 58,178	86-50
Marwar .	Superintendent	63 97	903	2,684 5,286	324 249	3,008 6,438	128 176	3,134 6,614	95·97 97 34	} 24,631	39-25
Bhurtpore .	Superintendent	52 210		651 2,986	198 462	849 3,448	59 201	908 3,649	93·50 94·49	} 14,379	31.69
Ulwur .	Superintendent	335 283	2,848 2,267	397 462	121 203	3,364 2,923	31 52	3,397 2,974	99*08 98*25	} 19,877	32.06
Dholpur .	{Superintendent	7 57	80 5 16	69 447	17 74	166 1,087	9 44	175 1,081	94·85 96·92	} 7,588	16-59
Kotah and Jhallawar	{Superintendent	88		272	180 None.	495	41 	536 	38.58	} 11,537	4-64
Oodeypore .	Superintendent . Native Superintendent .	2	16	7	None.	25	3	27	92:59	} 3,301	0-81
	Total of Native States	1,188	14,545	19,330	5,290	89,165	2,207	41,872	94.066	134,666	30-73

46. The above table shows the extent to which supervision has been exercised, and the result of inspections during the past year. That it is not so favorable a record as for 1883 is chiefly attributable to the excellent Native Superintendent of Ulwur, Raja Ram, having met with an accident which incapacitated him for work during half the season. The Superintendent of Kotah and Jhallawar did not see many cases as he only rejoined his appointment on the 9th of December, but a considerable number of villages (83) were visited, while the Superintendent of Oodeypore, owing partly to ill-health and partly to his presence being required at head-quarters, only inspected 25 cases and 2 villages. One thousand, nine hundred and sixty-seven cases were seen by the Superintendent-General, of which 97 were unsuccessful. The manner in which vaccination has been extended in Jeypore and Marwar speaks well for the energy of Surgeon-Major Hendley and Surgeon Adams, while in Ulwur it is not too much to say that the work is about as good as it can be and reflects much credit on Surgeon-Major T. ffrench Mullen, who for many years has taken great interest in vaccination, and has never spared himself in promoting it. Several instances are reported of parents going out of their way and taking some trouble in order to have their children vaccinated, and there is no doubt that opposition, though still in some parts pretty active, is gradually giving way.

DISPENSARIES. SECTION II.

47. In the Ajmere Division no dispensary has changed its class during the past year, while the number of the institutions, 7, remains the same as in 1883. The Beawar dispensary has been enlarged and improved, and some alterations in the building at Todgarh are under consideration.

48. In Native States 2 dispensaries fell from the 1st to 2nd class, and 6 rose from the 3rd to the 2nd class. Three new dispensaries were opened in Jeypore during the year, which brings the total number of these institutions in Native States up to 69.

TABLE 10.—Cases and Deaths.

STATEMENT II.

		CASES T	RBATED.	DAILY A	VERAGE.	AVERAGE	DURATION.	tage of in total	DBAT	H&.
		In-door.	Out-door.	In-door.	Out-door.	In-door residence.	Out-door visits,	Percenta in-door in case	In-door.	Percentage to cases In-door.
Ajmere Division	{ 1883 • { 1884 • { 1883 • { 1884	740 623 4,372 4,381	38,273 39,225 282,9C3 324,918	35 25 221 222	248 247 2,948 3,273	17 15 18 18	2 2 4 4	2 2 1 1	51 71 251 238	7 11 6 5

- 49. In the Ajmere Division there were 117 (15 per cent.) fewer in-patients treated, the decrease being chiefly shown in the Beawar and Ajmir Dispensaries. The mortality increased by 4 per cent. The average time of residence in hospital was shorter by 2 days than in 1883.
- 50. The number of out-patients in the Ajmere Division increased by more than 2 per cent., the increase being most marked at Beawar and Todgarh. At Ajmere, Masuda, and Ramsar fewer out-patients attended than in 1883, the falling off being most conspicuous in the returns of the Ajmere Dispensary. Each out-patient paid on the average 2 visits to hospital as in 1883. The percentage of in-patients to total treated, 2, was the same, and the average attendance of out-patients, 247, was 1 less than for the previous year.
- 51. In Native States, as will be seen by a reference to Table 10, the details regarding in-patients are nearly the same as those recorded for 1883.
- 52. There was an increase in Native States of more than 14 per cent in the number of out-patients, and of 11 per cent. in the daily average attendance, the average number of visits to hospital by each patient being 4 as in 1883. An increase in the total number treated took place in 13 States and 47* dispensaries, a decrease being shown in 2 States and 19 dispensaries. In comparing the number of out-patients for 1883 and 1884, it should be remembered that 3 new dispensaries were opened in 1884.

TABLE 11.—Causes of Admission and Deaths.

STATEMENT III.

						PRECES	TAGE IN	THE TO	CAL CASE	S AND D	BATHS.		
				Malarial fever and spieen.	Cholers.	Rheums- tism.	Ophthal- mla.	Respira. tory dis- eases.	Diarrhosa and dy- sentery.	Boil, ab- scess and ulcer.	Skin dis-	Injuries.	others.
			;				'	Cases is	-door d	nd out-	door.		
Ajmere Division .			(1883	12	0.81	4	12	6	7	17	7	4	81
Ajmere Division .	•	•	1884	16	0.48	4	18	6	5	16	7	4	29
Native States .			∫ ¹⁸⁸³	13	0.14	5	9	6	4	18	11	8	81
ZVata v D Deales .	:	•	1884	18	0.36	5	8	6	5	16	10	8	29
									Deaths	in-door			
Ajmere Division .			§ 1883	20	6	••	•••	6	83		•••		35
ajmero zivision .	•	•	(1884	20	4		•••	9	85	1	•••	1	30
Native States .			1883	9	4	•••		17	19	3	0.39	9	39
	-	•	(1884	12	1	•••		14	17	1		10	45

53. In the Ajmere Division abscess, boils, and ulcers caused 16 per cent. of the admissions, being 1 per cent. less than in 1883. Malarial fever and spleen also contributed 16 per cent. of the sickness, which is an increase of 4 per cent. on the previous year. The increase in the number of admissions from malarial fever shown in all the dispensaries, and particularly at Beawar, is the most noticeable feature of the year in the medical history of these institutions. Although cholers was more prevalent, bowel complaints gave rise to less sickness by 2 per cent. than in 1883, the difference in the number of cases treated in the 2 years being most marked in the returns of the Ajmere Dispensary.

The number of seizures and deaths from cholera which occurred among patients seen by the medical staff has been already given. The percentages of the other diseases given in Table 11 are almost identical for the 2 years.

In the same table is shown the variation in the percentages of deaths for 1883 and 1884. Respiratory diseases were more fatal by 3 per cent. and bowel complaints by 2 per cent. than in the previous year; but the total number of in-door patients treated for those diseases is too small to enable useful deductions to be made from the mortality caused by them.

54. In Native States (Table 11) malarial fever was 5 per cent. more frequent and 3 per cent. more fatal than in 1883, 18 per cent. of the admissions and 12 per cent. of the deaths being due to this cause. Abscess, boils, and ulcer occasioned 16 per cent of the sickness and 1 per cent. of the mortality, each being lower by 2 per cent. than in the previous year. Respiratory diseases and bowel complaints caused 6 per cent. and 5 per cent. of the total number of cases, against 6 per cent. and 4 per cent. in 1883, and 14 per cent. and 17 per cent. of the death-rate, these ratios being less by 8 per cent. and 2 per cent. than those recorded for the previous year.

[•] The 3 Dispensaries opened during the year have been excluded.

1,191 out-door and 8 in-door patients, of whom 2 died, were treated for cholers. One hundred and forty-eight cases of small-pox, 71 of which occurred at Shahpura, were attended to by the medical staff.

55. In Native States, as in Ajmere, the most noteworthy circumstances in the medical history of the dispensaries for the year is the large increase compared with 1883 in the number of cases admitted for malarious fever. The same percentage, 18, on the total number of cases was recorded in 1881 when a heavy rainfall was also registered in most parts of the province. The increase is shown in all the States but one, that of Pertabgarh, and in 62 out of 66* dispensaries and occurred in Kotah and Jhallawar, where it rained less than usual, as well as in Bhurtpore and Ulwur, where the fall far exceeded the average. It is difficult, however, to obtain exact information regarding the rainfall in outlying districts, and it may be that more fell there than was collected in the cities of Kotah and Jhalrapatan.

TABLE 12 .- Influence of Season on Mortality.

								Percepta	GE OF TOTAL DEA!	FRS AMONG IN-P.	ATIRWTS,
									Quarters o	of the year.	
								lst.	2nd.	3rd.	4th
							(1888	27	18	20	85
Ajmere Division	•	•	•	•	•	•	1884	20	27	25	28
N. 45 64 day							(1883	19	80	24	27
Nntive St ates	•	•	•	•	•	•	1884	20	27	25	28

56. From the above table it appears that the percentage of deaths amongst in-patients was the same in each quarter of the year in the Ajmere Division as in Native States, the highest mortality in both being registered in the 4th and 2nd quarters, and the lowest in the 1st quarter of the year.

TABLE 13.—Sex, Age, and Caste.
STATEMENT 1V.

						PERCENTAG	DE IN THE TOTAL	TREATED.	
					Men.	Women.	Children.	Hindus.	Mussalmans.
At District				(1888	59	19	22	70	25
Ajmere Division	•	•	•	1884	65	17	28	67	25
37 .				(1883	58	18	24 .	65	81
Native Ftates	,	•	•	1884	55	19	26	65	81

57. Forty-five per cent. of those who attended the dispensaries, both in Ajmere and in Native States, were women and children, which gives an increase of 4 per cent. and 3 per cent, respectively. Both in Ajmere and in the Native States more than twice as many Hindus were treated as Mussalmans.

TABLE 14.—Major Surgical Operations,
STATEMENT IIIA.

									AJMERE :	DIVISION	•		Native	STATES.	
								18	83.	18	84.	18	88.	18	84.
						-	•	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths
Artificial pupil .						•								8 60	
Iridectomy . Extraction of the lens		:		•	•	•	:	29		29		16		17	:::
All others of the eye	•	•	•	•	•	•	•	4		6	·	16		9	
Ligature of arteries			•											1	

[•] The 8 new Dispensaries opened during the year have not been included.

TABLE 14.—Major Surgical Operations.—(concid). STATEMENT IIIA.

										AJMERE !	DIVISION	r .		NATIVE	STATES.	
									16	988.	16	184.	18	88.	18	54.
									Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Excision of				•											1	•••
All others o	of joints	•		•	•	•	•	•	14		11		117	•••	121	•••
Excision of All others o	bones (total	and	parti	al)	•	•	•	•	1 8		7 9		9 45	1 2	9 41	2
Wit orthers o	N DOLLOS	•	•	•	•	•	•	•						<u> </u>		
Amputation	at shoulder	joint	•	•									1	 .		
- ,,	of arm	•		•			•	•	2		1	•••	9		13	8
21	of forearm			•			•	•	1		8		5	•••	7	
19	of thigh							•			ı.		1	•••	9	8
22	of leg		•						2		1		20	4	11	•••
,,	of foot										4				1	•••
,,	of tongue,	partic	ď							l			1		1	•••
All other a		•	•	•	•	•	•	•	18		5		11		11	•••
All other to	umours								27	2	17		59	1	78	1
Vesical by	lishatam=								18		19	8	47	4	56	2
	lithotrity	•	•	•	•	•	•	•	1		13		"i	*	i	
,, by	for calculus	•	•	•	•	•	•	•	i	,	8		9	1	l	} '''
All others	tor carculus	•	•	•	•	•	•	•		·			-			
Internal ur	ethotomy	•				•									1	
l'enotomy			•						•••				8		1	
All other in	cisions	•	•	•	•	•	•	•			10	1	23	1	18	•••
Reparative	operations				•				5				7		8	
Perecentisi	is of abdome	n							8	·	5	1	82	1	37	1
	of bladder	_			•		:	Ċ		:::	l i					
"	of ovarian	dron	EV.	•	•	•	•	•		1	l		8		2	} .
All others	not classified	-rob	-3	•	•	•	•	•	4		5	"i	4	1	8	
DIT ANTOIR	TO STATES INCOME.		•	•	•	•	•	•		.		-	<u> </u>	.		
						To	TAL		128	8	138	6	439	15	515	1 12

58. In the Ajmere Division 188 major operations were performed with 6 deaths, against 128 with 3 deaths in 1883.

One hundred and ten of these operations were done in the Ajmere Hospital chiefly by Dr. Crofts, who officiated as Civil Surgeon for eight months, and partly by Dr. Newman, the permanent incumbent, who held charge of the appointment for 4 months of the year. The lens was extracted in 29 cases. Nine persons were operated on for stone by lithotomy, and one by lithotrity, all of whom recovered. The superior maxillary bone was removed for disease. Fourteen amputations were performed, 1 being of the thigh; all of these cases were discharged cured. There were 3 deaths; one occurred after difficult labour, 1 subsequent to the opening of an abscess of the liver, and 1 after tapping for dropsy.

59. Seventeen operations were done at Beawar. Nine patients were cut for stone, of whom 3 died. None of the other cases proved fatal.

One person was operated on for stone successfully by lithotomy at the Todgarh Dispensary. There was an increase of 12 per cent. in the number of minor operations performed in the Division during the year.

60. In Native States 515 major operations were performed and 12 deaths occurred, compared with 439 operations and 15 deaths in 1883. In contrasting the numbers for 1883 and 1884, given in the different groups in table 14, we find that operations on the eye rose from 32 to 89, those for all other tumours from 59 to 78, and for stone from 47 to 56. The numbers under the other headings vary but little for the two years. Sixty cases of iridectomy, and 13 cases of cataract were operated on in the Jeypore State, 16 and 5 of them being done at the Mayo Hospital and the others by the Agency Surgeon while on tour. The lens was also extracted 3 times at Abu and once at Ulwur. Thirteen of the 53 amputations were done at the Jeypore Mayo Hospital, and 5 at other dispensaries in the State, 12 in Jodhpore, 7 in Ulwur, and in Bhurtpore and Oodeypore 5 each. Ten operations for lithotomy were performed in the Jeypore State, 8 in Bhurtpore, 7 at Kherwara, 6 at Kerowlee, 5 at Ulwur, and 4 at Jodhpore, and in addition to these 16 persons were cut for stone at other dispensaries in the province. The number of dislocations returned is again large, and especially so in Bhurtpore and Jodhpore, which States, as usual, head the list for accidents of this nature.

Of the 12 deaths, 6 took place after amputation (3 thigh and 3 arm), 2 after lithotomy, and 2 after excision of bones; 1 occurred after the removal of a tumour, and 1 subsequent to tapping for dropsy.

Eighteen thousand, eight hundred and seventy-six minor operations were performed against 17,850 in the previous year, which gives an increase of 5 per cent.

61. Eighty-one major operations were done at the Jeypore Mayo Hospital, and of these four ended fatally. Dr. Owen, C.I.E., officiated as Agency Surgeon from the 1st of January till the 26th of August, Dr. Martin succeeding him in the officiating appointment on the 14th of October. Dr. Hendley, the permanent incumbent, rejoined from leave on the 26th of October, and has submitted an excellent annual report on the working of the institutions under his charge.

Sixty-one major operations were performed in the Jodhpore Main Dispensary, but 23 of these were for reduction of dislocation. Two deaths occurred, I following lithotomy and the other after amputation of the arm.

In the Anah Hospital at Bhurtpore 40 operations were done with 1 death, but 9 of these were for reduction of dislocation and 9 for the relief of dropsy.

At Ulwur 29 operations were performed and 1 death resulted. At Oodeypore Dr. D. ffrench Mullen excised the elbow joint, and Dr. Crofts at Kotah removed the lower jaw, both operations being successful.

Statement C, which is appended, gives the names of the Dispensaries where the operations were performed.

			•	Natu	re of	OPERA'	TIONS.						No.
Amputation	of	forearm		•	•	•	•	•	•		•		2
	of	hand		•	•	•	•	•	•	•	•		4
"	of	foot			•	•	•	•	•	•			4
Excision of	soft	t part of	foot	•	•	•	•	•	•	•	•	•	13
										To	TAL	•	23

TABLE 15 .- Surgical Operations for Mycetoma.

62. This table shews the number of operations for mycetoma and the parts which the disease made it necessary to amputate or excise. Ten of these operations were performed in the Ajmere Dispensary and 8 in the State of Jodhpore.

TABLE 16.—Expenditure.

STATEMENT V.

					1883.	1884.	age in tal cost
					Rup)ees.	Percents the tot of 188
AJMERE DIVISION	Establishment . Medicines Diet Building . Miscellaneous charg	 •	•	•	4,408 1,759 485 122 1,037	4,536 1,359 270 3,247 805	44 13 3 32 8
		 Т	OTAL	•	7,811	10,217	100

Table 16.—Expenditure. Statement V.

						1888.	1884.	ige in tal coet
						Rup	108.	Percentage the total of 1884.
Native States	Establishment . Medicines Diet Building Miscellaneous charges	•	Ton	· · · ·	•	50,921 12,942 4,910 6,009	51,665 13,897 4,822 66 5,748 76,198	68 18 6 0.03 8
AJMERE DIVISION NATIVE STATES	Cost per case treated Cost per diet per diem Cost per case treated Cost per diet per diem			•	•	Pie. 38 16 50 17	Pie. 49 11 44 16	

63. In the Ajmere Division there was an increase of income on the previous year equal to 4 per cent., which was chiefly due to the credit balance being larger on the 1st of January 1854 than in 1883, and partly to the receipt of additional subscriptions. Subscriptions from Europeans fell from Rs. 423 to Rs. 284, while the sum collected from Natives rose from Rs. 1,313 to Rs. 1,767, the rise being confined to Ajmere. No money was subscribed by private individuals at Masuda, Pisangan, Todgarh, and Kekri, but the Kekri Municipality contribute Rs. 200 yearly to the Dispensary Fund. The amount of invested capital is shown in Part II of Statement V.

64. The expenditure was larger by 30 per cent. than in 1883 (Rs. 7,811 against Rs10,217) the increase being almost entirely shown under the head of Building. Rs. 2,541 were
spent in enlarging the Beawar Dispensary and Rs. 400 in improving the dispensary at Todgarh. Alterations and repairs were also carried out in the institutions at Kekri and Ajmere,
involving an outlay of Rs. 204 and Rs. 102 respectively. The debit balance against the dispensaries has not been included as formerly under "miscellaneous charges," but the amount
is shown against each institution under the column "Remarks" in Statement V, Part I. The
Beawar Dispensary has incurred a debt during the year of Rs. 461, and the balance against
Kekri has been increased to Rs. 564, but these sums can be easily liquidated by the Municipalities. The deficit at Todgarh and Pisangan now amounts to Rs. 1,017 and Rs. 931. The
Todgarh Dispensary has Rs. 1,500 of invested capital, but Pisangan has little but the Government allowance. Neither of these dispensaries are in a satisfactory condition pecuniarily as
their income never comes up to their expenditure. The proportion of the cost borne by Government was 43, against 60 per cent. in 1883.

For the percentages of the total expenditure see Table 16 given above. Each case cost 49 pie against 38 pie in 1883, the large sum spent on building accounting for the additional expenditure. Each diet cost 11 pie, being 5 pie less than the average for the previous year.

TABLE 17.—Patients and Cost.
STATEMENTS II AND V.

					 		C	ASBS.	DAILY A	Vebage.	AVERAGE TION OF	DUBA-	dieted.	each	овср
				-			ln-door.	Out-door.	In-door.	Out-door.	In-door resid- ence. Days.	Out-door attend- ance. Visits.	Average daily die	Average cost of case.	Average cost of diet.
														Pie.	Pie.
Ajmere				•,		•	414	16,381	16	90	14	2	9	33	31
Kekri .						•	88	2,552	1	28	11	4	0.05	67	19
Beawar.	•	•	•				170	10,296	8	62	17	2	4	65	11

- 65. In comparing those dispensaries in the Ajmere Division which receive in-patients, it must be remembered that the average cost of each case at Beawar was raised by building expenses, and at Kekri by the comparatively small number of cases treated. The average cost of each diet varied from 11 pie at Ajmere and Beawar to 19 pie at Kekri, where there was only 1 in-door patient per diem under treatment.
- 66. In Native States the whole income of the dispensaries is contributed by the different Darbars. No subscriptions are received from the public and nothing is given from municipal or other local funds. The expenditure was slightly in excess (not quite 2 per cent.) of that for the previous year, the increase being chiefly shown under "Establishment" and "Medicines," and is accounted for by the opening of 3 new dispensaries. The average cost of each case treated, 44 pie, was 6 pie less than in 1883, while the average expenditure on each diet, 16 pie, was lower by 1 pie than in the previous year.
- 67. The percentages of expenditure in Native States differ considerably from those given for the Ajmere Division; in establishment the numbers are 63 and 44, the higher ratio being chiefly due to the comparatively large pay received by some of the Hospital Assistants in Native States. The cost of repairs to or erection of buildings is not shown in the returns received from the Darbars.

Table 18.—Patients and Cost.
Statements II and V.

				pitals ries.	CAR	RS.	DAILY	AVERAGE.	AVERAGE TION O	F CASES.	Beted.	of	Jo
				Number of Hospitals and Dispensaries.	In-door.	Out-door	In-door.	Out.door.	In-door residence Days.	Out door attendance. Visits.	Average daily dieted.	Average cost each case.	Average cost each diet.
												Pie.	Pie
Jeypore				21	698	83,445	42	931	22	4	36	45	18
Bhurtpore				12	1,122	68,785	46	580	15	8	43	28	11
Marwar .		4		6	181	23,333	10	279	20	4	3	40	17
Ulwur .				3	270	16,697	18	216	24	4	17	64	17
Dholpur		ě.		3		24,225		208		3		36	
Kerowlee		ě.		4	99	14,536	6	150	22	3	5	38	14
Kotah .				3	217	11,558	11	126	18	4	6	72	11
Jhallawar				5	140	19,914	8	158	21	3	8	65	21
Total ou nee		(18	84	57	2,727	262,493	141	2,248	19	3	123	43	18
Total or ave	rage	(18	83	53	2,679	221,722	138	2,349	18	4	109	32	16

- 68. The above table makes it easy to compare with each other those States which have more than 1 dispensary. Each in-patient remained on the average 19 days in hospital, the time varying from 15 days in Bhurtpore to 24 days in Ulwur. Each out-patient paid on the average 3 visits to the dispensary. The cost of each diet varied from 11 pie in Bhurtpore and Kotah to 21 in Jhallawar, the average for the 8 States in the table being 18 pie. This strange variation in the cost of feeding patients is partly accounted for by the different customs prevailing with regard to the supply of firewood; in some places it is given by the Darbar and in others it is purchased, the price being included in the accounts in the ordinary way. The cost of each case treated in Bhurtpore was 28 pie and in Kotah 72 pie. As stated in previous reports, the small expenditure in Bhurtpore is not a matter for congratulation, as it is attributable chiefly to the low rate of pay received by the Hospital Assistants. The high average obtaining in Kotah appears to be mainly due to the small number of patients treated, compared with the other States given in the above table.
- 69. Surgical instruments and appliances were inspected in all the institutions visited during the year, and the half-yearly returns furnished by the executive medical officers and subordinates holding independent charges have been regularly received and carefully checked-Sums recovered for articles lost or injured through carelessness or neglect are paid into the treasury to the credit of Government in the Military Department.



SECTION III.—JAILS. TABLE 19.—Cases and Deaths. STATEMENT II.

	녈	of all		slok.		tion of	of deaths reated.	DEAT		ER THOU	SAND PRI M.	SOYEES
	er of jails.	age number oners of	Cases in Hospital.	ge daily		verage duration cases, days.	tage of		(Quarters (of the yes	ır.
	Number	Avera priso class		Average	Desths	Avera	Percentage to cases tr	Total.	Let.	2nd.	3rd.	4th.
Airmone Diminion (1888.	1	562	216	6	6	10	2	11	12	12	20	12
Ajmere Division { 1884.	1	588	161	6	2	13	1	8	8	 •••		8
Native States . { 1883 .	18	2,695	4,712	166	89	12	2	88	20	20	52	86
1884 .	13	8,020	5,478	187	186	12	2	45	24	82	64	56

70. In the Ajmere jail the daily average number of prisoners was 583, against 562 in 1883. The total number of admissions to hospital was 161, a decrease of 25 per cent. on the previous year, and the average daily sick, 6, was the same as for 1883. Only 2 prisoners died, the death-rate falling from 11 to 3 per thousand. These results reflect credit on the management of the jail, and speak well for the healthiness of its situation.

71. In Native States in the 13 jails from which returns are received the daily average number of prisoners was 3,020, against 2,695 in 1883. The total number of admissions to hospital and the average daily sick were higher by 16 per cent. and 12 per cent. respectively, while the mortality, which was heaviest during the third and fourth quarters of the year, rose from 33 to 45 per mille. Excluding cholera, however, which may be regarded as exceptional, the death-rate was 37 per thousand, and this is not a high ratio, considering the amount of sickness caused by malaria among the general population.

TABLE 20.

f							AJMERE	DIVISION.	NATIVE	States.
	:		•		Price of wh in the Ajm	eat per rupee ere Division.	Average number of prisoners.	Death-rate per thousand.	Average number of prisoners.	Death-rate per thousand.
					Seers.	Chittacks.				
1880					11	10	484	10	2,806	48
1881					16	2	429	4	2,787	46
1882			•		15	12	495	26	2,662	36
1883		`•	•		15	5	562	11	2,695	33
1884		••			16	3	583	3	3,020	45

72. Taking first the 8 jails in which the daily average number of prisoners exceeded 100, we find that in 6 of them the mortality was higher than in 1883, and notably so at Jeypore, Oodeypore, and Bhurtpore, where it rose from 50, 22, and 49 to 75, 44, and 60 per thousand. The death-rate at Jeypore and Bhurtpore is reduced to 60 and 33 per mille if cholera be omitted. At Jodhpore it fell from 40 to 25 per thousand, and at Jhalrapatan no fatal case occurred, the mortality for the previous year having been at the rate of 49 per thousand.

73. There are 5 small jails in which the average daily number of prisoners aggregated 337. In 2 of these (Sirohee and Shahpura) there were no deaths during the year, but in 3, Dholpur, Tonk, and Kerowlee, the mortality reached the high figures of 117, 98, and 88 per mille; exclusive of cholera the ratios are 106, 16, and 76 per mille. The total number of deaths in these jails was in Dholpur 11 (1 from cholera), in Tonk 6 (5 from cholera), and in Kerowlee 7 (1 from cholera).

74. Much has been done in the Jeypore jail during the last few years for the benefit of the prisoners, and some considerable improvements in ventilation were effected in 1884, but so long as the present over-crowding continues the prisoners are unlikely to remain healthy. The Agency Surgeon informs me that the question of providing additional prison accommodation is now being considered.

The extensive and important alterations made in the Kerowlee jail during the past year should exercise a favorable influence on the health of the inmates, who are amply fed and sufficiently clothed. The present Maharana purposes carrying out the intention of His Highness's predecessor by building a new jail at Oodeypore, and plans are now being prepared for it.

The new prison at Tonk should shortly be ready for occupation. It was utilized with good effect for the reception of prisoners when cholera appeared in the old jail. The Dholpur Jail has been much improved of late years. It was clean and in a good sanitary condition when recently visited, and nearly all the recommendations made regarding food, clothing, and latrines had been carefully attended to. The crowding, however, is still considerable, though less than it formerly was. The large amount of sickness in this jail during the past year was probably mainly owing to the unhealthiness of the season. No death occurred in the Jhalrapatan Jail, which had an average population of 186. The Agency Surgeon reports that a larger ration of vegetables and the administration of amchur had a decidedly beneficial effect on the health of the prisoners.

TABLE 21.—Causes of Admission and Deaths.

Statement III.

						PERCE	RAYON II	THE TO	TAL CASE	S AND D	BATES.		
·				Malarial fover and spicen.	Cholera,	Bhoumatiem.	Ophthalms.	Respiratory diseases.	Diarrhos and dysentery.	Boil, abscess	Skin diseases.	Injuries.	All others.
							Ce	368.					
	(1888	•		83	**1	1	1	4	10	12	2	19	18
Ajmere Division	1884	•	•	25		1	5	7	7	4	12	12	27
27 A' GA-A	∫ 1883	•	•	80	0-17	4	2	7	19	11	. 8	8	21
Native States .	1884	•	•	89	0.67	8	1	6	21	4	2	8	17
							Dea	i it he.					
A turum Diminian	§ 1883	•	•		•••			17	17			88	38
Ajmere Division	· { 1884	•	•										100
Nation States	§ 1888		•	9	7			23	89	1		2	19
Native States .	1884	•	•	10	17			20	82			1	20

75. In the Ajmere Jail 25 per cent. of the cases treated were due to malarial fever and spleen, being a decrease of 8 per cent. on 1883. The admissions from skin diseases, ophthalmis, and respiratory affections were larger by 10 per cent., 4 per cent., and 8 per cent. than in the previous year, while boils, abscess and ulcers, and bowel complaints were less frequent by 8 per cent. and 8 per cent. Two prisoners died during the year, 1 of apoplexy, and the other of acute Bright's disease.

76. In the jails of Native States malarial fever and spleen contributed 39 per cent. of the cases treated, an increase of 9 per cent. on 1883. With the exception of Jodhpore this increase occurs in all the jails, and particularly in those at Bhurtpore, Jhalrapatan, Dholpur, and Shahpura. There were more cases of bowel complaints by 2 per cent., and fewer of boils, abscess, and ulcer by 4 per cent. than in the previous year. The percentages of the other diseases given in the above table vary but slightly for the 2 years.

77. Cholera appeared in 5 jails and caused 24 deaths out of 37 cases. The disease commenced in the Jeypore Jail on the 2nd of July and ceased on the 20th of August, having attacked in that time 12 prisoners, all of whom died. The dates of seizures were 2nd July (1), 19th (1), 20th (1), 23rd (1), 26th (2), 5th of August (1), 13th (1), 19th (1), 20th (1), and 28th (1). The disease was not confined to any barrack or part of the jail, but seized a victim here, and another there, in a most promiscuous manner. There was nothing peculiar so far as could be ascertained in the habitations or habits of those attacked.

There were 15 cases and 5 deaths from cholera in the Bhurtpore Jail between the 18th of August and the 2nd of September, and 5 cases and 5 deaths in the jail at Tonk between the 29th of August and the 14th of September. On the 15th of September the old jail at Tonk was abandoned and the new building occupied, after which no more cases occurred. Three prisoners at Kerowlee and 2 at Dholpur were seized with the malady, and 1 in each jail died of the disease.

78. Thirty-two per cent. of the mortality in the jails of Native States was occasioned by bowel complaints, and 20 per cent. by respiratory affections, being a decrease of 7 per cent. and

\$ per cent. on the ratios recorded for the previous year. Cholera and malarial fever caused a greater mortality by 10 per cent. and 1 per cent. than in 1883. Of the 60 prisoners who died in the Jeypore Jail, 18 were over 60 years of age, and 11 of these were admitted to hospital on the day of their imprisonment.

- 79. Comparing the percentages of cases and deaths in the Ajmere Jail with those in the jails of Native States, we find that malarial fever was less frequent by 14 per cent. and less fatal by 10 per cent. in Ajmere. Bowel complaints caused more admissions by 14 per cent. in Native States, and a mortality of 32 per cent., no case of this nature proving fatal in Ajmere, 9 per cent., 10 per cent., and 4 per cent. fewer patients were treated in Native States for injuries, skin diseases, and ophthalmia. Cholera was entirely absent from the Ajmere Jail, while 0.67 per cent. of the cases and 17 per cent. of the deaths in the jails of Native States were due to this cause.
- 80. Efforts have been made to obtain the information asked for by the Surgeon-General, according to Statements XIV and XV of the Standard Series, but not with sufficient success to render these forms available for this report. As the statistics required have been received, for the most part incorrectly, from 8 jails only, it was considered advisable to adhere to the returns hitherto submitted, and these are given in Appendices marked II, III, A, and IIIB. It is hoped that Statement XV will be furnished for 1885 by all the jails, but as there is a decided objection on the part of several of the Darbars to afford information regarding the cost of their prisons, it is improbable that Statement XIV will be willingly supplied for some time to come. In one instance it was stated that these statistics were not forthcoming, as no accounts were kept, and probably in other places they are kept so indifferently as to make it exceedingly difficult, if not impossible, for the Darbars to give useful information on the subject of expenditure.

TABLE 22.

Date of receipt of Report.	Reporter,	Dispensaries.
2nd February	Surgeon-Major J. H. Newman	Ajmere-Merwara.
25th "	Assistant Surgeon Bhola Nath Biswas	Bhurtpore.
2nd March	Surgeon J. Crofts	Kotah.
6th April	29 29 1 1 1	Jhallawar.
25th March	·	Marwar,
2nd April	" D. ffrench Mullen	Meywar.
1st May	Surgeon Major T. H. Hendley ,	.Jeypore.

81. The following institutions were inspected during the past season, when a march of 844 miles was accomplished, in addition to the distance travelled by dåk and rail; Dispensaries—Ajmere city, police, and railway hospitals; Beawar; Nagaur (Jodhpore); Bikanir; Jeypore—Mayo Hospital, Palace Dispensary, Puranabasti, Agency Hospital, Malpura, Sikar, Jhunjhnu, Chirawa, Khetri; Ulwur; Bhurtpore, Anah Hospital, City Dispensary, Gopalgarh, Akhegurh, Wair, Biana, Uchen, Rupbas; Dholpur Dispensary, Bari; Kerowlee Dispensary; Tonk; Deoli; Oodeypore Hospital, Anadra. Jails—Ajmere; Bikanir; Ulwur; Bhurtpore; Dholpur; Kerowlee; Tonk; Oodeypore; and Jeypore. Surgeon-Major J. H. Newman officiated as Superintendent General of Dispensaries and Vaccination and Administrative Medical Officer for Rajputana, from the 18th of March till the 21st of November 1884, during the absence of Surgeon-Major L. D. Spencer.

MOUNT ABU, The 18th June 1885. (Sd.) L. D. SPENOER, M.D., Surgeon-Major, Supdi-Genl. of Dispens. and Vaccr. in Rajputana.

ANNUAL FORM No. I .- Births registered in the Rural Circles and Ivons of the simers and Merwara Districts during the year 1884.

•	s of deaths births per f population	٠	8.58	12.34	: :	: :	:	! !		.:	; ;	;		::		:	1:	96-9	:	:	:	:		i
	Exces over					•																		
4	Excess of births Excess of deaths over deaths per 1,000 of population. 1,000 of population.		:	86.68	19:4	13.87	4.06 90.4	9. 29. 29. 24.		11:8	7•71 3•94	10-15		15·47 1·84		9.16	11.78 36.	;	. 65 63 63 63 63 63 63 63 63 63 63 63 63 63	23.	20 ci	7.15		19-7
•	Number of males born to every 100 of females born.		121.80	155-78	14634	115.87	89.63	11481		108.64	106-52 135-79	104.41		97·46 129 94		114.28	12478	146.69	135.84	5 0.95	127.78	118:04		116.58
	population.	T.	15.80	23.21	31-06	33.72	26 79	29.51		47.56	35.45 25.69	82.06		38-11 24-38		44.13	22.81	23.44	18.21	22.32	23.47	22.55		27.23
•	Batio of births per 1,000 of population.	F.	7.13	80-6	12-61	15 62	13.62	13.74		83-79	10-90	15.68		19-30		20.29	13.87	9.54	7.85	11-97	10.30	10.61		12-58
	Batic of bi	W.	89.88	14.13	18:45	18.10	13:17	15.77		24-77	18-29	16.38		18-81		23.53	15.68	13-90	10-66	10.35	13:17	18.00		14.66
	tered.	ij	641	000	202	449	350	638		1,014	672 672	417		1,633		042	1,055	371	408	482	202	294		12,547
	Number of births registered.	F.	588	4 2	88	208	178	202		486	276 285	204		827		126	234	191	173	260	8;	188		5,798
	Numl	K.	828	810	120	241	172	841	(*)	829	387	213		806		144	292	220	235	252	115	156		6,749
•	Population according to Census of 1881.		40,559	8,098 81,988	6.504	18,315	18,064	81,619	-	81,890	16,076 26,161	18,006		42,852 81,504		6,119	85,828 28,057	15,829	22,048	21,738	8,738	13,003		4,60,722
i			•				•			-14		1					•		•		•		-	
														٠.		4	٠,	•			•			TOTAL
	OWG.	٠	٠	•	• 1		•		1		٠.	•		•	ON.		• •			٠				To
	Name of Bural Circle or Town.	NORTHERN DIVISION.	•				•	• •	CENTRAL DIVISION.		• •	٠	SOUTHERN DIVISION.	•	SOUTH-EASTERN DIVISION.	٠	• •	•	٠		•	•		
64	ral Circ	SN DI		•				•	L Dry			٠	N DI		FEBN	•	• •		•	•	+	• •		
	e of Bu	RTHE		ele .		ircle		•	ENTRA	1	Circle .	•	THE	•	H-EAS				ircle	•	•	•		
	Мат	N	Ajmere Town	", Suburos	Pisangan Town	" Rural Circle	Pohker	Srinagar	8	Nasirabad Town	Manguliawas .	Goella	80	Bhinsi	Sour	Kekri Town	" Kural Circle Sawar	Nyanagar Town	", Rural Circle	. Lodgarh .	Dawer	Jasakhera		
	District.		,							'ar	нам	rv					-	,	/B	V M	нн		,	
7	Number,			9 00			-	_		6				13			17	-	-		÷	_	-	

ANNUAL FORM No. II.—Deaths registered in the Rural Circles and Towns of the Simere and Merwara Districts during the year 1884.

Name of Brand Christ or Trans.	,	,													1
A jump of Date of Town		000 daring	Ei	20-24	26-33 27-67	24.79 87.39	25.52		35 07 28 88 19 48 26 01		23.00 16.21		23:08 17:06 18:77	29.58 17.09 17.65 21.93 15.18	3 1.84
A jump of Date of Town	60	f deaths per l, rious five year	Œ,	18-65	23:78 27:60	23.73	23.62 24.08 27.08		25-98 27-33 19-12 26-59		1978 1610	_	20-93 15-06 16-71	29.27 16.97 17.49 20.73 16.19	80-08
1 1 1 1 1 1 1 1 1 1		Mean ratio o	M.	21-62 6:89	29 % 80 %	87.93	25.22 27.29 28.10		34-33 29-35 24-18		25.95 16.33		25·19 18·82 20·55	29-66 17-07 17-77 22-86 15-78	23.67
March Marc		00 of the	Ţ	24-06 23-98	20.53 26.45	38.03	2019 2019 2019		45.45 27.74 21.75 21.91		22.64 22.64		34.97 1769 21.86	80.89 13.29 18.04 20.96 13.94 15.46	33 -63
March Marc		deaths per 1,0 population.	Ei	21-61	21.08 24.48	21.63	17:45		47.47 84.08 21.86 20.97		21-61 20-40		28-31 16-16 22-78	32-14 12-69 15-20 16-18 13-59 13-68	21.69
1 1 1 2 2 3 4 4 4 4 4 4 4 4 4		Ratio of	M.	26·19 22·10	20-79 28-20	19-21	22.42 22.42 22.42 23.42 24.42		43-71 31-20 22-09 22-77		23.56 24.38		41.54 1905 21.07	29-01 13-77 20-28 26-19 14-04 16-86	SF-88
1 1 1 2 2 4 4 4 4 4 4 4 4	•	Number of males died to every 100 deaths of females.		139-80 178:38	117.54	98.88	146.89 116.12		107-06 189-78 119-68 119-28		121·46 138·26		148°84 133°09 107°41	11478 13254 16640 16148 124:19 154:48	126.76
Arme of Rural Circle or Town. Ajmere Town Pulment Pul		istered.	H	946 808	459	22.5	889		968 6446 888 888		970 710		814 804 804	461 293 893 188 188 278 201	10,424
Arme of Rural Circle or Town. Ajmere Town Ajmere Town Pulmen Town And South Town Manipulmen Bural Circle Bhinsi Bhinsi Manipulmen Town Manipulmen Bural Circle Bootran Raman Division Manipulmen Town Manipulmen Tow	20	of deaths reg	Œ	724	811	186	146 146 258		468 186 259 180		4.88		272 272 243	126 126 70 70 79 79	4,697
A junctor Town Chesting and Town Mangalawas Goella Bhinai Manual Gircle Manual Southerent Divisions Rebrit Town Kebrit Town Kebrit Town Namagar Town Namagar Town Namagar Town Jawaja		Namber	K.	569 132	848	185	818 793		501 260 810 156		682 413		128 862 261	267 167 246 118 154 128	6,827
Ajmere Town Ajmere Town Bibbroke Pisangan Town Name of Bural Grele Pisangan Town Mangaliawas Goela Souther Division Bhinai Manuda Souther Bural Grele Souther Division Bouther Centrem Division Souther Division Rekri Town Souther Barten Division Nyanagar Town Nyanagar Town Todgarh Todgarh Dawer Jawaja Jawaja Jasakbera	•	Average popula- tion per square miles.		1 7	:	::	:::		::::		::		:::	11111	169-96
Ajmere Town Ajmere Town Ajmere Town Bubnrhe Rural Circle Pohker Rural Circle Pohker Ghegul Srinagar Nasirabed Town Mangaliawae Goella Southeren Bhinai Manda Southeren Southeren Southeren Boutheren Nama Gircle Sawar Nama Gircle Rekri Town Rekri Town Rekri Town Nama Gircle Sawar Nyanagar Town Nyanagar Town Jawah	••	Ares in square miles.		::	:	: :	:::		::::		::		:::		2,710-68
Merwara. Atmera. District.	91	Name of Bural Chrole or Town.	NORTHERN DIVISION.	Ajmere Town	•	Rural Circle		CENTRAL DIVISION.	ral Circle	SOUTHERN DIVISION.		SOUTH-EASTERN DIVISION.	Town	Bural Circle	TOTAL .
		District												\sim	
	_ [

ANNUAL FORM No. III.—Deaths registered in the different Rural Circles and Towns of the Ajmere and Merwara Districts during each month of the year 1884.

•	Total deaths registered during the year.	976 206 459 173 271 287 869 869	84.5 88.8 88.8	970 710	201 564 504 504 881 882 883 878 878	10,424	89.8 8
,	December,	28 28 28 11 28 24 25 28 28 28 11 28 24 25	£488	120	8487221 8487221	896	808
	Мочеть рег.	2	58.1.4	86	014487388141	1,028	83.63
	.xadoteO	28 8 8 8 9 9 0 7 0 7 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8 5 5 9	79	44 4 4 8 8 4 4 8 8 8 8 8 8 8 8 8 8 8 8	986	2.16
	September.	110 15 25 24 28 25 25 25 26 27	11 88 88 88	78	228882122	1,068	84 89 84
	.tsvguA	25 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	137 53 54 14 14	88	01 48 8 8 8 9 10 8 9 10	1,082	3 :82
••	.Taly.	252 262 264 274 275 276 276 276 276 276 276 276 276 276 276	E 13 83	33	25 24 24 24 24 24 24 24 24 24 24 24 24 24	286	8:14
•	.eant	8 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	- 288	84	818 80 10 10 10 10 10 10 10 10 10 10 10 10 10	299	1.20
	Mey.	2 # 8 U # 8 E 4	88 8 4 3	88	1747188588	908	1.76
	April,	: 88.88.88.88.88.88.88.88.88.88.88.88.88.	· 58 8 6	123	25 25 25 25 25 25 25 25 25 25 25 25 25 2	749	1.63
:	March,	8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	22 2 8	22 89	26 27 27 28 28 18 18	808	1.76
	February,	8 a 4 a 2 a 2 a 8	# 8 8 8 8	26.89	71 8 8 8 8 8 4 4 2 1 8 8 8 8 8 14 2 1 8 9 8 8 14 2 1 8 9 9 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1	206	1.58
	.Trangal	4 : 3 : 3 : 3 : 3 : 3 : 3 : 3 : 3 : 3 :	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	52	88 83 7 88 1 88 1 88 8 8 8 8 8 8 8 8 8 8 8 8 8	684	1:48
•	Name of Bural Circle or Town.	MOSTHERN DIVISION. Ajmere Town Buburbe Rural Circle Pleangan Town Pohker Ghegal	CENTRAL DIVISION. Nasirabed Town "Bural Circle Mangaliawas Goella Southerry Dynaton.	õ		Total .	Batic of deaths per 1,000 in each month .
,		Ajmere T " S " B Pisangan Pohker Ghegal	Nasira Manga Goella	Bbinaí Masuda	Kekri Tov " Ru Sawar Nyanagar Todgarh Dawer Jawaja		Ratio
	District.	Ajmer " Pisang Pohker Ghegsal Srinege	Gooling Name of the control of the c	Bbin	MERWARA. Sawa Lawa Lawa Lawa Lawa		Ratio

Annual Form No. IV.—Deaths registered according to Age in the Rural Circles and Towns of the dimere and Merwara Districts during the year 1884.

1	Mumber.				817	25 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		
	District.			ATMRRE,		Marwar.		
«	Aame of Bural Circle or Town.	NORTHERN DIVISION.	Ajmere Town Buburbe Rural Cirele Fisangan Town Rural Circle Pohker Ghegal	CENTEAL DIVISION. Nasirabad Town Mangaliawas Goella	Bhinai	Rekri Town Baral Grele Sawar Nyanagar Town Todgarh Dawer Jasakhera	Total for the Province	Ratio per 1,000 living
		K.	21 88 88 82 82 83 88 88 88 88 88 88 88 88 88 88 88 88	172 61 58 68 68 68	181 52	488842844	1,887	16:8
••	Under 1 year.	F.		176 56 66 40		8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	1,244	8-70
•	A tebau bas seet f.	M.	102 20 20 20 20 20 20 20 20 20 20 20 20 20 2	118 70 76	155	50 80 80 80 80 80 80 80 80 80 80 80 80 80	1,408	8.06
_		ß.	80402186	124 04 88 88	88 88	28 8 2 8 8 8 2 8	1,061	18:3
•	.01 reban bas 3	K.	415 x 4 x 0 a	5882	8 2	181188	898	0.67
		F	8 8 7 4 7 2 8 8 8	∞ ∞ 4 w	10		165	0.86
•	10 and ander 15.	M. F.		FD 60 60 64	40		9 9	0.23
		×	047 : 4488 047 : 4488		. 54	**************************************	98	20 0.36
2	.02 taban bas 81	Ä	81428888	9000	11,	**************************************	183	81
•	.08 reban bas 02	×	171 181 18 18 118 118	8 11 8 8 8 8 8 8	88	187 8 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8 1 8	904	98.0
		Œ	200 90 110 80 11	92 83	80	787 84 44 801	878	0.88
•	.04 mban bus 08	K.	22 7 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	81 18 18	22	57 11 12 13 13 13 13 13 13 13 13 13 13 13 13 13	898	00.1
-			252 288 288 289 241 116 116 116 116	21 23 31 32 32 32 32 32 32 32 32 32 32 32 32 32	48	118 118 119 118 118 118	381	989
2	.63 reban bas 04	M. F.	812 83 1148 813 83 114	228 10 10	72	8 2 7 2 7 8 5 5 5	548 840	1:19 074
		×	20 20 20 20 20 20 20 20 20 20 20 20 20 2	19 48 10 86 24 29 29 18 18	19 65	4 4 4 7 118 118 118 118 118 118 118 118 118 1	8	4 1.88
=	On tobur bes 03	15.	8007709	# # # # # # # # # # # # # # # # # # #		100 A 100 B	878	0.81
		×	8811.01808	288°	818	84444484	288	1.12
13	abrawqs bas 00	B	8 2 8 2 2 2 8 2 8	3 6558		28 88 88 4 7 4 4 8 8 8 8 8 8 8 8 8 8 8 8	438	0.0

Annual Form No. V.—Deaths registered according to classes in the Rural Circles and Towns of the Limere and Merwara Districts during the year 1884.

	DEATER PER 1,000 OF POPULATION.	Other classor.	7-88 24-06 17-16 28-98 20-93 20-36 22-70 12-66 26-67	7.74 45.45 27.74 21.75	49.53	84.97 17.69 21.86	8-89 80-89 18-84 21-74 18-04 20-96 125-00 18-84	89-20 75-63
	res 1,00	Christians.		::::	::	; ; ;	:::::	:
	8	,arbalH	26.57 21.21 22.34 25.25 20.11 22.90 19.09	48-60 28-52 22-28 22-28	28.28 28.28 28.28	88-08 17-87 22-33	80 01 11:09 18:69 21:29 14:59 16:90	22.79
	RATIO	Muhemmadans.	20-96 84-15 14-37 19-08 28-11 18-37 25-75	44·10 14·04 16·97 11·88	26-81 10-71	17.52 11.68 13.16	84-81 18-92 1-82 8-30 7-56	\$2:06
		Total.	976 206 459 172 271 271 2859 555	969 446 869 885	970 710	214 634 504	293 293 892 188 278 201	10,424
	OF DEATER REGISTRED.	Other Tolasses.	&r :::::	G : : :	: -	:::	a : : :	23
•	RATES E	Christians.	111:::::	::::	::	:::	11111	:
	NUMBER OF D	-enbaiH	621 183 150 246 288 288 500	785 434 625 881	930 681	198 622 494	401 176 390 183 256 198	9,124
		Mahammadans.	85 60 60 60 60 60 60 60 60 60 60 60 60 60	88 12 12 44	9 8	16	78 118 21 6	1,276
	.1881.	.fatoT	40,559 8,592 21,933 6,504 13,315 13,064 17,780 21,619	21,820 16,076 26,161 13,006	42,852 81,504	6,119 85,828 28,057	15,829 22,048 21,732 8,733 20,089 13,003	460,723
	TO CREEUS OF 1881.	Other chases.	888 408 :: 1 8 77	1,168 2 	80 8D		324 34. 8. 81	2,576
		Ohristlans.	111111	1:11	: :	:::	1::::::	:
	Рорпалитой ассовыие	Hindus.	23,371 6,233 18,037 5,940 12,238 12,574 14,826	16,124 16,219 23,568 12,668	41,294 28,884	5,206 84,801 22,118	18,363 15,770 20,870 8,592 17,551 12,839	400,887
•	Por	.anahammad#.M	16,806 1,962 8,896 1,062 490 2,961 1,763	5,033 855 858 838	1,550	918 1,027 760	2,241 6,235 816 141 2,530 661	67,809
		Name of Bural Circle or Town.	NORTHERN DIVISION. Ajmere Town Buburbs Rural Circle Fisangan Town Pobker Ghegal	CENTRAL DIVISION. Nasirabed Town , Rural Circle Mangaliawss Goella	SOUTHERN DIVISION. Bhinei	SOUTH-EASTERN DIVISION. Kekri Town " Bural Circle	Nyanagar Town Bural Circle	TOTAL
		District		VINEES.			Мавчаль	
-		Уштрет.	18845078	8012	18	116	888118	

ANNUAL FORM No. VI.—Deaths registered from different couses in the Rural Circles and Towns of the Simere and Merwara Districts during the year 1884.

. -		.1ot.	Distr			ATMERE.			MERWARA.		Azere.	WABA	HXM	
•		Name of Rural Circle or Town.		A. DISTRICTS.	NORTHERN DIVISION. Ajmere Suburb Bural Circle Pisangan Rural Circle Pohker Ghegal	CERTEAL DIVISION. Nasirabad Bural Circle Mangaliawas Goella	Southern Division. Bhinai	SOUTH-EASTERN DIVISION. Kehri Rural Circle . Sewar	Nyanagar Bural Circle Todgarh Dawar Jawaja	TOTAL OF DISTRICTS	Ajmere B. Towns. Pisangan	Nyanagar	TOTAL OF TOWER	TOTAL FOR THE PROVINGE
o su	ribt 1881	0008 m	Population to Cena		8,592 81,938 13,316 13,064 17,780	16,076 . 2 6,161 . 13,006	42,862	. 85,828 . 23,057	22,048 21,73 - 8,738 20,089 18,000	8,70,891	40,559 6,504 21,320 6,119	. 15,829	. 90,831	460,788
•			Cholera.		60 - 00 81 70	: :	::	::	::::::	187	2°°°;	&	8	227
•		•;	zod-liam8		- 58 E : 58 E	31 54 31	201 136	145	: 18 18 17	867	88 a 4 4	69	ಹ	88
•			Fever.		816 840 840 850 850 850	880 171	988 868	874 265	221 266 161 161 86	4,947	513 159 895 80	834	1,481	8,428
	.83	aislqa	Bowel con		88 8 0 II I 34	88 14 14	163	99 88	87 117 117	708	197 1161 28	117	88	1,206
		Buicide.	.olalf		1:::::	[et]	::	44	11:::	8	::::	:	'	000
-		10 %	Female.		<u> </u>	: : :	- :	e4 :	:::::	4			<u> </u> :	4
	TORIES.		gnere-pit gnere-pit			70 4 20	18	20	45884	081	∞ ≈ 4 ×	•	8	146
			Desets.			181	11 28 6 17	1 9 9 13 9	8 9 9 9 9 9 9	241	6 6 4 4	•	8	54 207
•	'1	108 D WO	All other		16 67 18 81 87	21 8 5	118	44	72 88 84 88 88	792	159 1 897 1 68	**	419	1,400
ila	s vac		Total desi.		206 459 271 297 869 666	446 569 285	970 710	634	293 392 183 278 201	7,618	976 172 969 814	481	2,812	10,424
			Сројега		12.45 0.41 0.07 0.61 0.28	0.18 	::	::	:::::	0.37	1.45 0.19 7.19	1.86	8	\$
1	Z	•1	roq-liam8		0-12 1-05 0-83 1-29 1-48	0-93 2-45 1-15	4.69	8.98 6.30	0.87 1.87 0.10 1.31	2.31	0.94 0.46 0.19 7.19	0.18	1:01	98
	EIO OP DEVER		Fever.		6.87 14.41 17.27 18.87 18.92	23.64 16.71 13.15	15·52 11·68	10.44	10.02 12:24 7:90 7:52 7:38	13.36	12.65 24.45 18.53 13.07	81.10	16.89	13.96
		-m00	Bowel Bowel		8 4 1 0 0 0 8 8 4 8 8 9 0 0 8 9 6 8 8 8 9 9 8 9 9 9 9 9 9 9 9 9 9 9 9	800 0.80 1.08	1.50	1.84	1.68 1.11 6.98 0.85	1.89	4.86 7.58 4.58	7.39	29.9	19.8
1,000			sohnjal.		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.87 0.69	0-65 4-65	0.25	0.86 0.74 0.69 0.69 0.69	0.48	0.92 0.92 0.19 0.66	88.0	88.0	0.46
0147711404	POPULATION.		• Tal other o		2 4-89 2 6-89 2 6-89	0-75 1-83 5-84	88.0 88.0	1.8 8 8 1.8	1.23 3.08 4.01 3.69	2:14	3.92 0.16 9.48	0-18	88.9	8.06
		From all or	For the		20.98 20.98 20.98 20.98 20.19 20.19	27.74 21.75 31.91	32 .64 32 .64	17.69 21.86	18.29 18.04 18.84 15.46	20.02	24.06 26.45 45.45 39.97	80.38	81.18	29.83
		causes.	Menn of previ- ousfive years		24.79 26.33 26.73 27.53 27.53	28:88 19:48 26:01	23 00 16:21	17-06 18-77	17-09 17-66 21-93 15-18 17-73	20-97	20°24 27°57 28°07 28°08	29.68	27.36	21.84

0.36 1.63 1.50 0.11 0.73 0.48 0.15 Mean ratio per 1,000 of pre-vious five years. 0.49 Ratio of deaths per 1,000 of population. 0.87 0.19 ... :::54 ::: Total. : : 0.71 0.80 0.83 0.84 .:: Female. 98.0 0.50 :::**2** :::: : : Annual Form No. VII.—Deaths registered from Cholera in the Rural Circles and Towns of the Ajmere and Merwara Districts during the year 1884. 207 1205 009 0.68 0.14 0.21 0.21 19.0 Male. 0.58 0.28 ... : : Total. **3**500 ∞ ; **v**a ; : : :::: 22 Female. TOTAL. 2 :::*** : : Male. **48-21-22** : : 33 ∞ ;**∢** ; : : : :::::::: :::: : 1::::::: :::: : : : **:** : : **:** : : 111111 **!** ! ! ! **!** ! ! ! October, = : · · · · · · · **6** : : : : : nepremper, ∞ : -: **: :** 20 August. 136 : **! 4** : : : Joja. :: ::::::::: : : : : .ounf ::: : : : : : : : : : : **:** : : :-:::: May. ::::::::: : : : : **: :** : :::::::: April. : : **; :** : : ::::::::: : : :::::::: :::: : : :::::::: : :::::::: **::::::::** :::: :: Number from which deaths from cholers were reported. 12 VILLAGES 96 2 8 8 138 S CIRCLE OF BREIBTRATION. Ξ ፧ :. a Name of Rural Circle or Town. SOUTH-EASTERN DIVISION TOTAL CENTRAL DIVISION NORTHERN DIVISION SOUTHERN DIVISION Nasirabad Town ... Bural Circle Kekri Town . " Rural Circle Bhinai . Masuda District. THERE **0**212 13 2912818188

1:11 0:19 1:36 1:51 1:03 1:03 1:03 96.56 2.50 0.10 1.81 1.96 1.29 0.87 1.39 1.84 1.85 1.1 Mean ratio per 1,000 of pre-0.94 0.12 0.83 1.29 1.48 7:19 6:30 6:13 0:13 1:37 1:31 ž 90.7 01.0 0.93 1.15 4-69 4-32 Total Total ratio of deaths 1,080 of population Pernale. 0.26 0.26 0.814 0.814 0.93 0.93 0.93 0.93 0.93 0.93 1.43 1.43 6.71 6.71 0.14 0.63 1.81 4.83 2.07 Annual Form No. VIII.—Deaths registered from Small-pox in the Rural Circles and Towns of the Ajmere and Merwara Districts during the year 1884 0.83 1.01 0.71 0.71 1.17 018 1:58 1:41 4.57 8-77 3-84 3-84 0-11 1-07 1-08 0-19 0-68 **2**8 Me de No. OF TERES DEATES ANONG CRILDERS. 2 - E : E : E : E : E : E 8 2 4 F 83 673 Under 12 year. 다 : 약 : 약 : 유 88 88 842m : 4-85 88 Under 1 year. 18728 100 4225 138 444 : 31 4 71 3 Permale. TOTAL 2759 :33 金虫の砂ち 88 7821 : 92 :11 88 Mele. 200 8 5 8 C 200 ; 00 ន្ល :: = ::::: 9 : :**~** : : : :::::: : : # : : : : : : ::-:::: : : = : :01 : : : : : : : : -: :ed : : : : :4 77 : : · · · : : :- :-: : 69 : : : - : : - : : -21 angnat' **2** :日 :日 :日日 :: * : 4 : 5 5 Jajì. ဇာ ဗျ ea co : - : : : : : 8 877 :: : - * Jane. **-29** 48 204 H :41 :40 :40 40 .talk 488 : :∞ : :w 248 --6-28 April. 884 : : 8 : : 4 178 : :ee : : :4.4 22 23 : :₄∞ : : :∞ 12 :m > : : - m :01 44 Pebruary. : :n : :war : = 쯇 : : : ***** : : 14 : : : : : January. Number from which deaths from small-deaths from small-deaths reported. 88 2 49 器 161 22 VILLAGES 29 88 739 96 101 138 mori radmr M mori adseab ger erew zog တ CIRCLE OF BREISTEA. which smell-rted. 4 2 61 23 œ SOUTH-EASTERN DIVISION. Name of Bural Circle or Town. Nasirabed Town . Rural Circle TOTAL SOUTHERN DIVISION NORTHERN DIVISION Rural Circle CENTRAL DIVISION Ajmere Town
" Suburbe .
" Rural Circle
Pisangan Town Kekri Town. " Rural Circle Sawar. Mangaliawas Goella Pohker Ghegal Srinagar Bhinai Masuda MERWARA. District. ATMERE. 6212 14 - **804567** Namper. D I

Annual Form No. IX.—Deaths registered from Fevers in the Rural Circles and Towns of the Symere and Merwara Districts during the year 1884.

&		years.	PAU SECOLA	12:94 3:75 115:84 12:042 12:03 13:96 17:50	1446 19-21 15-36 16-28	18:20 10:29	2	11:19 10:88 9:50 6:52 8:18	11.78
	-erg 10	000,I Teq o							
		THE PE	Total	12.65 6.87 14.41 17.27 18.94 18.92	18-58 23-64 16-71 13-15	15.52 11.68		12.24 10.02 12.34 1.52 1.53 1.53 1.53	13-96
1		Ratio of deaths fer 1,000 of population.	Female.	12:53 9:17 14:89 22:44 19:20 11:36 18:92	19.88 20.15 17.22 18.23	14.21	11.85 9.45 11.44	10-20 10-20 6-22 7-78 6-89	18-48
		1,000	Male.	12:75 5:86 14:00 26:19 15:65 17:67 18:94	17.36 26.88 16. 2 5 13.07	16·69 13·14	14:28 11:32 11:54	11014 113:85 9:24 7:29 8:68	14.85
			Total.	518 59 816 159 280 280 280 280 409	396 380 437 171	868	80 874 865	286 286 69 151 98	6,428
•		Toral.	Female.	236 24 149 180 115 95 192	196 156 82 82	288	36 122 122	88212	2,856
			Male.	277 36 167 91 110 126 135	228 89 89	877 228	24 216 143 106	88 488	8,672
		•	December	39 116 116 229 429 429	82 8 2 33	111	2885	1100011	681
		•	Мотетрет	68 82 12 14 14 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16	25 33 8	88	es 28 cs	2488118	761
			October.	45 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2448	8 3	P & & & &	8 % st g o	669
		•	Reptember	09 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	88 94 44 42	68 31	13 70 26	20 20 20 20 20	704
			August.	67 11 49 20 12 16 20 20	48 38 36 11	\$ 82	e e e e	27% : 62	808
			Jajy.	86 10 29 14 16 18 18	8 2 18 9	34	e 15 25 cs	32 32 11	487
10			Jane.	25 : 25 × 25 × 25 × 25 × 25 × 25 × 25 ×	33 25 17	888	8 4 8 7	გილთ :4	324
			May.	28 118 108 108 108 108 108	3 887	800	9 1 0 2	22228	418
			Apdl.	25 116 117 119 119	82.47	3.2	108 B	13 8 1 9 1	878
			March.	25 8 12 8 14 8 12 8 13 8 14 8 14 8 14 8 14 8 14 8 14 8 14 8 14	8482	32 26	∞ 22 4 ±	2 2 4 0 0	88
			February.	8	8 2 8 0	7 8	o 8 2 2	12220	194
			.Trannal	28: 26: 26: 26: 26: 26: 26: 26: 26: 26: 26	1839	33	7222	810004	468
	0.28.	rom which from fevers forted.	1 19dmnW 1 adiaeb 1 ere ere	138		101	~~~ %	828	187
	VILLAGES	-sip qose u	Namber in	138	26	. 101	22	830	780
	E OF ATIOF.	rom which rom fevers orted.	Number 1 desths 1 were rep	x	4	69	6	. 60	83
••	CIRCLE OF BREIBTRATION.	-sip qose t	Namber in trict.	6	4	Ņ	&	ω	83
		٠		~~~	~~~		<u>~~~</u>	~~~	•
8		Name of Bural Circle or Town.		NORTHERN DIVISION. Ajmere Town Suburbe Rural Circle Pisangan Town Pohker Ghegal Srinagar	CENTRAL DIVISION. Nasirabed Town. Mangaliawas Goella	SOUTHERN DIVISION. Bhinai Masuda	SOUTH-EASTERN DIVISION Kekri Town , Rural Circle Sawar	Todgarh Dawer Jasakhera	Total
			District.	<u> </u>	Азжеве.			MERWARA.	
1			Уатрег.	₩ 81 82 4 10 10 1× 20	9 10 11 12	18	16	21 22 23 23	
	1								11

3.76 11.58 2.09 7.03 11.78 11.16 4.81 11.47 2.23 8:47 8:78 1:15 1:71 88.5 Mean ratio per 1,000 of pre-vious five years. 1.46 1.46 0.68 0.68 0.68 1.50 4.58 11.69 7.39 1.68 1.11 6.88 6.88 6.88 **5**.61 RATIO OF DEATES PER 1,000 OF POPULATION. Total. ANNUAL FORM NO. X.—Death's registered from Bowel Complaints in the Rural Circles and Iowus of the simere and Merwara Districts during the year 1884. Female. 3.61 3.06 1.09 ... 0.16 0.72 0.72 1.68 9-43 2-32 0-25 1-13 8-96 11-48 11-78 11-21 11-21 0-83 0-77 1-56 2.4£ 888 2.76 5.89 1.76 1.76 1.14 0.64 8.44 5.17 2.21 1.61 1.61 2.06 1.32 8.82 8.91 8.04 Male, 1.64 5.33 1,206 Total. 5827 28 Female. TOTAL 288 52 21425228228 520 Maje. 428 84 538485858 88 æ **%** 133 91 : 1 **∞** ∞ : : : 119 9 2 **8** : : : ≈ • : ⊓ 24 138 824 : : : 48 దా షౌ 171 22 23 188 Jangu 4 8 = 108 8 :n : :u-4 յալչ. : 🕫 8 F : : : 1 F E 24 :0-00 : : : e 4 :0 : : : : . 8 May. & n n ∞ : : ∞ : n 3 **∞** ; ⋈ ; ; ; ⋈ ⋈ April. : 8 84 4 40 80 75 1-4 8 8 3 Number from which deaths from bowe complaints were re-362 3 8 6 VILLAGES. Number in each district. 8 88 738 188 5 Number from which complaints were re-ported. CIRCLE OF REGISTRATION. 60 æ Number in each district. SOUTH-EASTERN DIVISION. Name of Bural Circle or Town. TOTAL SOUTHERN DIVISION. NORTHERN DIVISION. CENTRAL DIVISION. Nasirabad Town ... Rural Circle " Suburbs .

" Bural Circle
Pisangan Town .

Bural Circle
,, Kekri Town
" Rural Circle
Sawar
Nyanagar Town Ajmere Town " Suburbe Mangaliawas
Goella Ghegal Srinagar Bhinai Masuda VINEER. MERWARA. **6212** 13 14 1884B678 Namber.

Annual Statement I.—Showing particulars of Vaccination in Rajputana during the year 1884.

	AVERAGE ANNUAL MUNICES OF DEATHS PROM SMALL-POX	DUBING PREVIOUS FIVE YEARS.	Ratio per thousand	æ	•	Not svailable.	i	ī
	AVERAGE STOKES	DURING	Number.	19	164	Mot available.	;	:
ANNUAL	FEESONS	BB.	Ratio per thousand.	18	6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	6	63
AVERAGE AFFICAL	SUCCESSULLY VAC-	PREVIOUS STVE	Number.	17	4,263	20,111 15,449 15,449 15,662 15,662 15,662 1,634	86,186	89,396
to bo	ooren ally	ns successift per the	Person syan uqoq	18	€	000 000 000 000 000 000 000 000 000 00	14	14
PRECENTAGE OF UCCESSFUL CASES.		.cination,	BO-ARC	16	88	48 :: :00 :	88	22
PRECENTAGE OF SUCCESSIVE CASES		٠٤٠	Prima	7	88	\$ 25 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	86	88
	·	.lnla	900ng	13	88	266	700	729
BR-VACCIMATION			LatoT	22	35	661 108 108 119 119 119 119	850	888
		eoga IIa l	o latoT	11	8,982	45,603 24,046 380 1,424 113,560 119,778 6,934 6,042 6,042 6,042 8,167 3,167 752	131,806	136,788
CCINATION.	Successful.	one and six years.	T9PO under	10	1,930	26,125 11,748 1748 1748 1745 1757 1,839 2,138 930 930 930 930 1,964 2,081 2,081 2,081	62,516	54,677
Репилят VAССІИЛЕПОЯ.	8	one year.	TebaU	6	1,976	18,177 11,495 176 8,375 18,307 1,243 1,243 1,243 1,243 1,021 1,021 1,021 1,021 1,021	71,202	73,178
Ь			.fatoT	88	4,626	25,512 24,831 1,539 1,4379 1,4379 1,9316 1,806 8,531 6,583 6,583 8,301 8,301 8,301 8,301 8,301	142,896	147,523
-0%A	of to	re namber nated by or.	Avera cinat		777	2,216 2,257 1,557 1,556 1,566 1,646 1,646 1,651 1,051 858 838 838	1,948	1,865
			Total.		4,661	68,173 24,831 380 1,637 14,879 119,877 7,568 2,630 1,806 1,806 858 6,583 8,301 838	148,746	148,407
	TOTAL HUMBER OF PRESONS		Females.	•	2,189	25,955 11,625 11,625 1,625 6,604 6,604 9,811 1,830 283 283 283 1,592 1,5	68,887	940'14
	TOTAL HU	•	Males.		2,473	27,218 13,206 223 223 859 7,775 10,066 1,300 904 804 1,704 488 488	74,859	77,331
nous	rprog	ye namber employed eason,	s stot s oft		. •	% 11-14820-18148811	47	8
		te zojje.		•	170	176 474 882 826 826 826 128 1189 1186 1186 1186	88	8
10 no	ointall itatuq	t to note	Populi cordi 1881	စ	460,723	2,584,361 1,750,408 600,021 162,908 645,540 682,926 682,926 882,926 882,926 14,67,276 817,276 340,488 1,448,144	9,854,163	9,814,885
				-		<u> </u>	•	-
		Name of State.		8	Ajmere and Merwara .	Jeypore and Khetri Marwar Marwar Bikanir Sirohee Bhurtpore Ulwur Ulwur Dholpur Kerowlee Tonk Shahpura Kotah Jhallawar Meywar Abu	TOTAL .	GRAND TOTAL .
		No.		1	-	States States States States States		

Statement No. II.—Skowing the cost of Vaccination in Rajontana during the year 1894.

n ,1860	р елгоо	Average cost of each	ä	Ę	8	=	2	8	2	4	2	* 	•	*	*	38	*	=	*	#	2	=
vacci.	infane Isanioot	cons lla 10 tedmpN ev-et bas sacitsa	Q.	ä	4011	46,159	34,046	8	1,683	13,560	19,808	900'9	1,237	1,740	*	6,043	4,654	3,167	8	763	1,12,606	1,36,517
		.IatoT	19	Re,	749	3,527	1,967	120	232	100	1,648	843	116	818	141	204	829	360	136	22	11,247	11,996
		Native States.	18	Rs.	i	3,527	1,967	120	222	109	1,648	843	115	818	144	169	829	360	1	98	11,075	11,075
FROM		Manicipalities.	11	Rs.	238	1	1		1	1	1	1	i	1	1	1	1	1	73	Ī	27	310
PAID		Local Fund.	16	Bs.	1	1	ì	1	i	1	1	ī	1	1	1	1	1	;	19	36	100	100
		Provincial Fund.	16	Rs.	ı	1	1	i	1	1	1	1	i	1	**	i	I.	:		1	1	1
		Imperial Pand.	114	Re.	1119	+	ī	1	1	1	1	1	1	1	1	1	i	i	:	ı	1	611
		.feoD lafoT	13	Rs.	749	3,527	1,967	120	222	109	1,648	843	115	318	144	169	678	380	136	2	11,247	11.996
TOBR.		Contingencies.	21	Rs.	16	308	132	1	9	1		26	1	0	1	E .	•	1	-	1	427	443
ELFENDITURE.	*90	Trevelling Allowen	Ħ	ä		9	*	į	Í	i	9	i	6	ı	4	201	130	ı	ì	•	1,028	1.028
	.aue.	Fey of Establishme	2	ä	48	8,980	1,701	330	216	209	1,041	816	8	818	3.	\$	3	2	136	8	9,798	10.526
	-19B 1	Chaprasis and other vante.	•		:	:	:	i	;	:	i	:	ï	:	:	:	:	:	:	:	;	;
	dors.	Second Class.	6		:	:	:	:	i	;	3	:	:	:	:	:	:	:	:	į.	:	:
£	<i>Гассінаtora</i>	First Class.	2		•	ä	Ħ	-	-	•	2	10	-	•	-	•	•	•	-	-	2	8
Establishers:	.sjæs	bmstgreggg svitsN	•		-	-	-	:	i	-	-	-	:	:	:	:	i	:	:	:	•	•
Eera	.ents.	Deputy Superintend	10		:	:	:	:	i	:		:	:	:	:	:	:	ï	:	:	:	:
	cn-	Superintendents of eles.	•		-	-	1	-	:	1	-	i	1	:	1		7	-		<u>-</u>	-	-
	.lerel.	oneO-tnebnetaireque	60		1							1									-	_
T										1									ľ		•	•
																					•	-
																				•	3	FOTA
						*														•	TOTAL	GRAND TOTAL
		É												•			•			•		GBA
		NAME OF STATE.	ox																1	•		
		N																				
					rwar	hetri				3												
					d Me	M be			į						-							
					Ajmere and Merwara	Jerpore and Khetri	War.	nir.	Sirohee .	Bhurtpore	Ulwur .	Dholpur.	Kerowlee	¥	Shabpura	Kotah	Jhallawar	Meywar	es	No.		
					Ajm	Jero	Marwar	Bikanir	Siro	Bhu	Ulw	Dho	Ker	Tonk	Sha	Ko	Jha	Me	Abu	Deoli		
			k .	1							-		•	2		2	81	14	35	91		

Annual Statement No. III.—Showing Dispensary Vaccination in Rajpulana during the year 1884.

L CARRS.		Ro-vaccination.	13	
SUCCESSION CARRS.		Primary.	13	
KATION.		Successful.	n	
RE-VACCINATION.		Total.	10	
		Total of all ages.		
CCINATION.	Successive.	One and under six.	00	
PRIMARY VACCINATION.		Under one year.	7	None.
		Total,		
OBA :	snoste Totani	osev dose number of 1		ì
loosa	suosi	Total number of per nated.	•	
rota gairu	niosev rb soin	Average number of attached to dispensi the season.	8	
each i Tot	ni sei saioos	Yumber of dispenser district to which a v	54	
		Districts.	-	

Z	
ach	
ia in each	
tana	
ajpu	
in R	
rted	
ccin	
pa hj	
sful	
acces	
ere s	
no n	
น ธน	
Perso	
marily vaccinated and the number of those Persons who were successfully vaccinated in Rajputana	
of th	
nber	۰
e nu	1000
d th	hour
ko pa	onti
inat	the warder mentioned means
aacc	0 000
arily	4.4
prim	
8008	
Per	
er of	
2mm2	
the i	
ving	
-840	
<u>-</u> .	
Š	
INT 1	
TEME	
E STAT	
2	
PABA	
COMPABAT	

	Number successfully vaccinated.	4	8,963	181,806	135,789
	Total namber.	1884	4,636	148,896	147,628
	Number successfully vaccinated.	8	4,773	107,628	113,401
	.19dmna latoT	1883	6,041	114,807	119,348
	Number successfully vaccinated.	83.	4,594	106,642	110,836
	Total number successfully vaccinated. Total number.	1×82	6,233	114,220	119,463
	Number successfully vaccinated.	81.	4,388	86,196	889'88
	"nedmpn latoT	1881	5,028	94,061	420'08
ë	Number successfully vaccinated.	90.	8,633	99'99	70,263
Т ассінаті	.1edmnn latoT	1880	4,646	76,267	70,803
Presons prinabily Vaccimated.	Number successfully vaccinated.	ě.	3,996	346,946	67,343
PRESONS 1	.19dana ladoT.	1879.	8,806	190'09	78,049
	Number successfully vaccinated.	.	3,624	78,574	82,198
	Total number.	1878.	4,797	\$0,674	14,471
	Number successfully vaccinated.	77.	4,673	88,714	788,887
	.redanga latoT	1877.	6,364	97,910	104,274
	Number successfully vaccinated.	1876.	6,633	80,148	88,780
	Tofan namber.	18	8,600	98,433	102,083
	Number successfully vaccinated.	76.	6,396	72,641	78,836
	.16dmna letoT	1876	12,227	87,039	99,276
			•		Total
			•	•	Ħ
			Ę	•	
			ıd Merw		
			Ajmere and Merwara	Native States	
			∢*	*	,

STATEMENT I .- Showing the number of Dispensaries in Rajputana during the year 1884.

Wanb.	Population,	Dispensaries,	Number open on 81st December	Number opened during the year.	Number closed; during the	Number open on the last day of the year,	Bemarks.
1	2	3	4	•	6	7	8
Ajmere-Merwara .	460,722	lst class 2nd ,, 8rd ,, 4th ,,	 8			2 5	-
Total .	460,722	*****	7	***		7	
Native States	9,854,168	lst class 2nd ,, 3rd ,, 4th ,,	29 17 18 2	 1 2 		27 26* 14	* Two dispensaries fell from lat to 2nd class and 6 rose from 2rd 4to 2nd class.
Total .	9,854,168		66	8	•••	69	
GRAND TOTAL	9,814,885	*****	73	8	•••	76	

STATEMENT II .—Showing the number of In-door and Out-door Patients

1	2	8						4
								In-Door
¥-			a	ь	e	d		f
Name of District or State.	Names of Dispensaries.	Of what Class.	Total Treated during the year.	Number Cured.	Number Relieved.	Discharged otherwise.	Died,	Ratio of deaths per cent, of total treated.
JMERE-MEEWARA	Masuda	. 1st Class . 4th ,, . 4th ,, . 4th ,, . 4th ,, . 1st ,, . 1st ,,	414 33 170 6	348 29 121 6	1 1 10	3 13	48 2 21	11·59 6·66 12·35
	Total		623	504	12	16	71	11.39
JEFFORE	Jeypore Mayo Hospital Puranabasti Motikatra Chatsu Dausa Hindaun Jhunjhnu Gangapur Sambhar Sanganer Sewai Madhopur Khetri Chirawa Kotputli Sikar Palace Malpura Lalsot Sri-Madhopur Mahwa Uniara	. 1st Class . 1st 1st 1st 2nd 2nd 2nd 2nd 2nd 3rd 2nd 3rd 3rd 2nd 3rd 2nd 2nd 3rd 2nd 2nd 2nd 2nd 2nd 2nd 2nd 2nd 3rd	619 619 65 7 7	446 6 1 49 5	49	30 8 	577 	9·20
MARWAR . <	Jodhpore Main Dispensary Do. 1st Branch Do. 2nd ,, Nagaur Pali Jasol	. 1st ,, 2nd ,, 2nd ,, 2nd ,, 1st ,, 2nd ,,	97 2 49 83 	87 2 32 20 	8 4 8	 10 5	5 1 1	5·1/ 2·0/ 3·8
BIKANIB	Bikanir	. 1st "	44	87	1	2	4	9-0
SIECHEE	Sirohee Bhurtpore Anah Hospital Do. Dispensary Akhegarh Biana Deeg Gopalgarh Kaman Pabari Rupbas Uchen Wair Bhasawar	. 2nd ,, . 1st ,, . 1st ,, . 3rd ,, . 2nd ,, . 3rd ,, . 2nd ,, . 2nd ,, . 2nd ,,	67 1,122 	63 704 	174	165	1 31 	1·44 2·70
	Carried over		-					

SANITARY, VACCINATION, DISPENSARY, AND JAIL, FOR 1884.

treated in the Dispensaries of Rajputana during the year 1884.

										6
age by to	·						Our-noon I	'atibute,		poch
g			À			•	ъ	o	d	trested oor.
Number avail:		1	Daily averag	e number.		Nu	mber Treated,		duce.	atlents of Out-d
Males.	Females.	Men.	Women,	Children.	Total.	Attended person-	Represented by friends.	Total Treated.	Average dally attendance.	Total number of patients treated both In-door and Out-door.
21 8 15	4 2 	11·24 1·38 6·36 0·16	8·26 0·04 0·65 0·16	1.08 0.00 0.64 0.00	15-58 1-87 7-65 0-32	18,749 2,896 1,281 3,148 2,068 8,479 2,158	2,632 156 211 121 150 1,817 859	16,381 2,552 1,492 8,269 2,218 10,296 3,017	90-56 27-72 9-07 21-57 15-05 62-15 21-03	16,798 2,581 1,491 8,269 2,218 10,466 8,028
44	6	19-09	4:11	1.72	24-93	83,279	5,946	89,825	247-15	89,848
92	20	25·19	10·01 0·08 0·00 0·81 0·18	1·52 0·08 0·04 0·03 0·00 	36-73 0-20 0-08 4-68 0-45 	11,275 8,144 7,077 2,940 5,595 2,584 3,804 2,787 1,460 1,080 1,282 4,050 3,240 3,240 2,297 2,184 5,712 5,141 2,053	120 204 691 836 471 291 171 827 57 26 157 217 209 411 228 579 801 567 235 202 189	11,395 8,348 7,768 8,276 6,066 8,148 2,765 4,281 8,663 2,984 1,669 2,281 1,861 4,851 3,807 3,807 3,899 2,499 2,328 6,080 5,657 2,508	126-01 75-32 88-25 40-41 48-87 39-07 54-30 42-60 40-79 21-10 29-69 42-75 86-52 83-49 16-60 47-90 29-49 45-77 23-73 30-87 74-27 51-17 35-48	12,014 8,344 7,766 3,276 8,144 2,756 4,287 3,863 3,663 1,666 2,322 1,300 1,867 4,351 3,814 2,497 2,497 2,828 6,177 5,687 2,507
 8 2 2 14	 4 	1.55 1.76 	0·42 0·87 	0-09 0-03 	2·06 2·16 	2,053 1,856 4,484 1,853 4,399	455 438 . 872 . 85	2,508 2,294 . 5,856 1,438	35·48 27·34 69·96 21·10 73·77	2,500 2,344 5,88 9 1,438 5,21
. 8	4	8.54	0-09	0000	8-68	2,379	449	2,828	22-91	2,896
87 		82:59 	10-21	3-48 	46·28	4,527 12,547 1,268 5,684 7,140 2,290 3,325 3,994 3,478 1,919 6,180 4,643	1,229 413 2,560 268 201 1,623 423 696 277 2,456 1,062	5,159 13,776 1,681 8,244 7,408 2,491 4,948 4,417 4,174 2,196 8,586 5,705	67-66 115-59 19-15 60-09 59-81 18-67 56-00 25-05 30-70 26-55 40-50 59-75	6,281 13,776 1,681 8,244 7,406 2,491 4,948 4,417 4,174 2,196 8,586 5,708
		p,••						,		

STATEMENT II .- Showing the number of In-door and Out-door Patients .

; + 1		_!_	.9	· · · · · · · · · · · · · · · · · · ·		8						
			•									I#-D00
	•		,	•		٠ .	•	ь	•	d	•	f
Name of Dist State,	rict o		Names of Di	spensaries.		Of what Class.	Total Treated during the year.	Number Cured.	Number Relieved.	Discharged otherwise.	Died.	Ratio of deaths per cent. of total Treated,
			:				Total		Ž.	A D	·	
			. Brought	forward	•				,			
•			NATIVE STAT	ES—concld.	•							
ULWUB		{	Ulwur . Tijara . Rajgarh .		•	1st Class 1st ,, 2nd ,,	232 13 25	118 8 19	58 4 1	15 1 2	29	12·50
Оногълв	•	\{	Dholpur Bari Rajakhera		•	lst ,, lst ,,			>		•••	•••
Kebowlee	•	{	Kerowlee . Mandrael . Sapotra . Machilpur			1st ,, 3rd ,, 2nd ,, 3rd ,,	96 8	74 2	8	8 1	9	9•4'
lonk .		•	Tonk .			1st "	804	255		27	16	5.2
: Shahpura		•	Shahpura .	•	•	lst "	181	170	•••	4	1	0.5
Котан .		{	Kotah Baran . Khanpur .	: :		1st ,, 1st ,, 3rd ,,	217 	189	6		24 	7.5
Jhallawab	•	{	Jhalrapatan Chaoni Shahabad Iklera Pachpahar			lst ,, lst ,, lst ,, 2nd ,,	130 10 	114 5 	1	 8	6 1	4·6
MEYWAR		•	Oodeypore Sajj	an Dispensa	ry	lst "	725	573	39	4 3	84	4.6
Pretabgarh	•	•	Pertabgarh		•	2nd "			•••			
Banswaba	•	•	Banswara .	•	•	2nd "	•••			•••		••• ·
Government	•	{	Abu Anadra Deoli Kherwara Sambhar (Cust	oms)	•	8rd ,, 4th ,, 1st ,, 1st ,,	46 12 .85 40 150	87 5 57 82 132	2 3 28 	2 1 1 2 1	2 3 3 4 3	4·8 25·0 8·5 10·0 2·0
		,	Total Na	tive States	•	•••	4,881	3,192	886	864	288	5:4
			Gran	D TOTAL	•	•••	5,004	8,696	398 	380	809	6·1

SANITARY, VACCINATION, DISPENSARY, AND JAIL, FOR 1884.

treated in the Dispensaries of Rajputana during the year 1884—concluded.

						_		5		8
PATERNT	٤,						OUT-DOOR	Pariture.		Poth
9	,		À	,		a	ъ	e	ď	Frested oor.
Number avail	of Beds lable.	1	Daily averag	e Number.		Nu	mber Treated	•	ndance.	atients of Out-d
Malor.	Femaler.	Men.	Women,	Children	Total.	Attended person- ally.	Represented by friends,	Total Treated.	Average daily attendance.	Total number of patients Treated both In-door and Out-door.
14 8	10 2	12·19 0·67	3·31 · 0·02	0-77 0-00	16·27 0·69	8,446 2,775	802 421	8,748 8,196	125 41 28·80	8,980 8,20 9
 	 	0·74	0·17	0 05	0·96	8,767 5,539 5,165	925 1,910 1,512 1,842	4,753 10,677 7,051 6,497	92°94 59°98 55°50	4,778 10,677 7,051 6,497
 	 	4·30 0·18	1·11 0·04	0.21 0.00	5·92 0·17	7,005 1,729 2,225 2,205	554 147 891 .280	7,559 1,876 2,616 2,485	65·68 27·34 33·13 24·05	7,655 1,87 6 2,616 2,488
11	7	6 04	2.22	0.94	9-20	11,094	2, 029	13,123	122:28	18,427
16	2	5.93	1.05	0.48	7:41	8,318	2 52	3,565	68 72	3,746
13 	7 	9·18 	1·10 	0·85 	10·63 	5,918 1,707 2,924	939 46 24	6,857 1,753 2,948	63·36 38·60 23 ·98	7,074 1,758 2,948
15 2 	6 2 	6·55 0·66 	0-82 0 07 	0·15 0·03 	7·52 0·76	4,770 4,682 948 2,595 1,505	8,696 635 805 486 292	8,466 5,317 1,253 3,081 1,797	89·04 50·83 23·31 19·98 25·26	8,596 5,317 1,263 3,081 1,797
18	12	86 ·76	4.35	1.31	42-43	12,291	1,392	13,683	128-63	14,406
		•••				4,889	1,887	5,726	27 ·14	5,726
•••					•••	8,458	543	9,001	79·56	9,001
4 12 8 16	4 1 6 8 	1·49 1·35 3·69 1·33 6·38	0·10 0 ·08 1·09 0·19 0·24	0.01 0.00 0.85 0.47 0.11	1.60 1.38 5.13 1.99 6.73	2,659 1,099 2,277 1,587 625	202 184 64 417 212	2,861 1,283 2,341 2,004 837	28·10 15·94 20·99 16·58 19·63	2,907 1,295 2,426 2,044 987
823	186	171-90	39 31	11:10	222 ·31	2,82,848	42,575	3,24,918	8272 64	8,29,299
367	142	190-99	43.42	12.82	247.28	8,15,622	48,521	8,64,143	8519-79	8,69,147

STATEMENT III.—Showing the Diseases of the In-door and Out-door Patients

1	2																
																	ISLASES.
						GENT	BAL DI								1		
No.	Names of Dispensaries.	Fel	Order orile or Zymo	A. tic Dise	ases.		C		Order B.		e.			1	the state of	1	otions
	·	Small-pox.	Malarious Fever, Agne, and Bemittent.	Cholera.	Other Diseases of this Order.	Rheumatic Affections.	Syphilitio Affections.	Berofula.	Ansmia.	Leprosy.	Phthisis.	Dropey.	Other Diseases of this Order.	Oppthalmia	Inflammation o External Ear.	Gottre.	Respiratory Affections.
	British Pro- vinces.																
1 2 8 4 5 6 7	Ajmere Kekri Masuda Pisangan Ramsar Beawar Todgarh	3 1 	2,019 273 348 358 285 1,913 663	160 6 25	 14 1 42 6 1 21	826 80 75 161 85 811 75	458 25 31 50 7 262 61	26 1 2 16 1 14 5	67 3 11 6 15 1	27 1 18 2		42 5 1 2 2 23 7	 25 1 3	1,157 638 164 877 622 1,471 654	880 64 29 157 67 492 21		1,185 100 116 40 104 688 198
	Total ,	4	5,859	191	85	1,568	894	65	108	4.8	26	82	31	4,988	1,710		2,381
8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 81 32 38 34 35	Gangapur Sambhar Sanganer Sawai-Madhopur Khetri Chirawa Kotputli Sikar Palace Malpura Lalsot Sri-Madhopur Mahwa Uniara Jodhpore Main Dispensary. Do. 1st Branch Do. 2nd ,, Nagaur Pali Jasol Bikanir	i	676 254 745 515 239 605		74 15 46 9 81 83 50 14 24 26 26 14 27 18 21 104 78 10 25 66	584 309 861 192 365 124 167 205 218 101 155 292 118 134 66 59 104 201 200 114 168 339 253 135 86 86 86 86 86 86	488 264 238 59 94 51 59 74 59 48 37 114 42 43 89 49 95 51 58 53 242 77 139 38 71		29 6 2 51 1 5 	10 20 11 11 12 22	8 8 23 3 2 2 3 3 3 2 2 3 3 3 1 1 1 1 1 1 1	177 183 56 44 45 52 99 42 22 8 5 1 1 3 3 13 4 1 1 22	89 2 7 41 45 76 6 	118	548 445 536 88 124 152 60 170 177 112 166 72 52 52 89 63 9 97 184 116 69 78 819 529 111 63 600 45 78	1	820 776 584 249 207 254 198 94 186 153 107 173 53 209 448 261 271 165 80 204 82 250
36 87 88	Bhurtpore-Anah Hospital. Bhurtpore Dispensary. Akhegarh	2	1,599 8,470 830	3	29	117 375 872 78		1	34 15	1	7 1 2 1 2 1 2 1	1 2 9	95 112 2	313 1,189 118	104 78 727 45		171 427 959
40 41 42 43 44 45 46 47 48 48	Biana Deeg Gopalgarh Kaman Pahari Bupbas Uchen Wair Bhasawar Ulwur	. 2	1,326 1,290 704 1,189 1,641 782 395 682 1,547 2,565	25 8 126	76 13	418 309 160 312 846 241 73 970 814 141	98 30 27 17 62 24 253	1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	43 14 15 1 9 5 24 7 5 56 4 27	1	1 2 2 3 2 3 2 2 3 1 7 4 4 6 2	3 11 0 6 1 2 2 1 5 1 3 1 2 8	209 295 5 8 108 590	1,142 739 114 370 152 313 112 447 602 742	285 341 37 108 43 80 53 89 192 612	4	468 856 128 288 164 850 116 864 886 753
	Carried over									-				•		- 	

treated in the Dispensaries of Rajputana during the year 1884.

															4	_ _	5
					OCAL DI	SBASES,									In-door and Out- treated in each	Ope	ration
TRACE PROPERTY	Dysentery.	Diarrhos.	Worms.	Liver Diseases.	Spleen Diseases.	Gonorrhos and its complications,	Abeceses, Boils, and Whitlows.	Skin Diseases.	Ulcere.	Labour, Premature, Natural, and Difficult.	Other Local Diseases,	Debility and old age.	Poisons and poisoned	Injuries.	Total number of In-door door Patients treated Dispensary.	Major.	Minor.
2	416 86 68 67 25 240 48	459 71 58 77 37 374 68	256 5 2 31 1 41 12	61 2 8 17 47 7	127 13 12 18 11 123 17	395 27 21 59 9 138 36	1,149 78 64 381 224 337 78	922 198 98 229 153 901 204	1,692 405 168 481 265 865 240	18 1	3,226 431 175 520 262 1,889 561	51 11 5 8 2	155 17 52 5 22 2	1,007 97 14 118 54 812 136	16,795 2,585 1,492 3,269 2,218 10,466 3,028	110	1,8
7	898	1,144	348	142	821	680	2,311	2, 705	4,116	14	7,064	77	253	1,738	39,848	138	2,7
5 5 4 1 1 . 2	189 105 111 85 47 47 51 86 125 41 67 41 19 84 85 80 48 69 52 40 65 181	230 187 129 147 82 163 66 161 97 127 72 41 50 79 57 72 178 69 121 48 98 180	33 88 5 2 14 27 11 3 31 69 1 2 1 6 4 5 16 27 25 24	67 60 27 1 38 8 5 4 11 21 29 13 12 21 13 13 13 13 76	25 32 51 90 40 91 31 55 60 55 7 13 3 22 24 46 19 38 38 38	300 150 211 54 93 29 78 124 31 45 49 19 51 41 89 49 52 21 58 186	347 430 376 236 335 196 190 294 201 152 242 230 166 154 82 38 302 237 452 156 157 532	1,159 1,067 848 81 1,198 178 258 849 276 162 482 803 162 93 138 78 188 489 232 817 295 508	682 638 886 361 728 453 397 506 192 155 842 236 203 176 215 55 424 439 142 290 155 313	11	3,844 2,238 2,011 823 1,027 459 366 657 797 459 983 215 383 318 164 759 699 639 622 592 541 1,356	190 42 144 87 27 2 17 42 22 1 82 51 21 17 81 47 2 24 88 58	19 16 7 23 37 10 80 22 10 1,963 8 5 10 5 28 50 8 14 10 64	292 212 142 30 63 144 118 62 71 21 63 132 14 108 66 39 16 53 2 91 41 349	12,014 8,348 7,768 3,276 6,066 3,148 2,756 4,287 3,862 2,162 3,663 3,049 1,669 2,221 1,308 1,861 4,351 3,814 3,699 2,499 2,329 6,177	81 3	44 55 88 25 55 22 12 22 12 11 11 11 12 24 24 24 24 24
	46 95 72 58 21 67 56 94	155 90 28 135 26 93 104 276	261 1 4 5 15 6	 9 20 20 18 30 30	28 24 21 10 10 21 37 115	140 70 19 68 25 152 51 110	481 168 99 234 91 289 198 110	839 322 278 440 81 405 325 258 1,140	351 163 207 502 214 495 367 681		826 868 262 1,195 235 1,465 147 1,074 2,369	88 40 18 59 20 3 15	173 27 3 5 82 87 1 8	248 110 47 125 16 813 13 190	5,659 2,508 2,343 5,389 1,438 5,217 2,895 6,281	 1 11 8 13 40	1 8 4 1 7
	33 145 109 148 179 60 41 75 266 130 816 86	57 168 154 163 148 281 81 75 833 211 242 82	5 5 24 11 8 9 2 7 3	7 87 48 22 18 10 8 16 12 149 4	8 70 71 31 28 38 64 12 60 42 98 12	23 44 88 70 78 19 33 9 70 18 55	52 423 385 113 290 121 151 76 1,111 190 369 86	130 885 634 195 421 816 748 406 686 413 505 78	149 957 1,061 450 453 874 451 316 1,777 559 482 335		448 1,163 1,085 65 443 283 656 283 854 938 1,061	1 2 18 2 22 I3	1 16 6 1 10 18 11 29	14 224 159 56 90 6 65 37 2 39 126	1,681 8,244 7,408 2,491 4,948 4,417 4,174 2,196 8,586 5,705 8,980 3,209	2 4 11 1 3 2 4 29	2 3 3 1 1 1,2;
- -																-	•••

STATEMENT III.—Showing the Diseases of the In-door and Out-door Patiens

<u> </u>	3																8
																. 1	DISBASI
	.					Gra	BBAL DI	Brare) .								
о.	Names of Dispensaries.	Feb	Order rile or Zym	A. otic Dise	asos.		C	onstit	Order B. utional I	Disease	s.				of the		etions.
		Small-po .	Malarious Fever, Ague, and Remitteut.	Cholera.	Other Diseases of this Order.	Rheumatio Affections.	Syphilitie Affections.	Serofula.	Ansmis.	Leprosy.	Phthisis.	Dropery.	Other Diseases. of this Order.	Opthalmia.	Inflammation o External Ear.	Goitre.	Bespiratory Affections.
	Brought forward .					•••							•••		•••		•••
512556 556 557 556 556 556 556 556 556 556	Kotah Baran Khanpur Jhalrapatan Chaoni Shahabad Iklera Pachpahar Oodeypore-Sajjan Dispensary Pertabgarh Banswara Abu Anadra Deoli Kherwara	2 16 8 71 7 4	1,063 2,224 1,464 2,585 1,002 273 534 487 1,280 201 969 383 654 1,573 795 219 517 315 2,042 992 1,088 534 803 303 325 522 412	577 244 1 1 153 19 7 23	22 198 10 96 90 57 11 14 263 10 31 13 11 40 8 90 172 8	119 389 356 518 287 110 104 82 433 166 522 77 185 321 208 82 124 93 669 174 165 154 70 129 27 44	52 155 18 61 77 14 21 29 354 70 223 86 91 413 46 903 86 101 87 21 143 17 14	44 19 3 12 3 2 19 4 11 1 2 3 3 5 2 7 14 3 14 14	2 8 17 9 8 8 5 21 127 18 33 11 46 22 5 28 4 9 21 2	3 8 19 8 4 11 21 21 5 6 6 47 14 10 12 11 32 7 11 11 11 11 11 11	 18 10 1 16 2 82 8	9 8 10 8 12 4 1 4 2	86 71 168 188 2 25 5 3 3 3 192 93 131 99 15 22	1,460 613 777 318 2,360 201 147 296 717 510 224 146 302 674 280 42 96 82 702 277 1,435 292 131 275 382 20	277 852 199 93 566 63 106 78 703 184 286 63 62 461 86 19 62 5 634 186 412 47 26 108 82 16	18	
	Total Native States	148	57,370	1,194	2,370	16,216	7,512	450	1,045	608	895	501	4,442	26,959	13,204	24	20,
	GRAND TOTAL .	152	63,229	1,385	2,455	17,779	8,406	515	1,153	656	421	583	4,478	31,942	14,914	24	23.

treated in the dispensaries of Rajputana during the year 1884.

															4		5
															Out-door pensary.	Ope	rations.
]	LOCAL D	18248 28 .								.,	r and		1
Heart Diseases.	Dysentery.	Diarrhos.	Worms.	Liver Diseases.	Spleen Diseases.	Governmen and its complications.	· Abscesses, Bolls, and Whitlows.	Skin Diseases.	Ulcers.	Labour, Premature, Natural, and Difficult.	Other Local Diseases.	Debility and old age.	Poicons and poisoned wounds.	Injuries.	Potal number of In-door and Out-door Patients treated in each Dispensary.	Major.	Minor.
•••									•••		•••						
1 8 1 2 6 7 8 7 1 5 5 1	58 167 112 196 162 29 81 44 197 18 223 3 47 210 182 38 60 56 278	69 570 86 282 149 27 58 54 226 74 124 66 49 243 112 8 97 82 280	2 15 15 4 8 7 55 48 5 21 15 12 9 17 2 106	409 82 6 80 12 8 8 15 9 50 8 13 10 7 116 13 4 20 8	30 124 42 49 102 22 45 50 106 19 7 25 36 172 88 19 43 13 160	70 81 42 74 28 81 196 52 137 28 43 238 94 17 77 16 417	167 553 168 203 553 84 208 143 978 376 363 120 109 895 244 16 183 169 913	184 986 804 855 667 254 168 444 1,329 360 859 249 518 1,324 465 168 484 887 1,687	343 1,209 1,940 736 858 153 192 209 2,156 468 867 68 227 437 247 81 165 42 1,523	 	5 1,216 387 160 512 148 240 210 2,586 730 1,386 222 230 763 2,43 464 848 1,894	1 5 9 88 9 58 30 183 5 73 111 31 20 68 225 22	19 7 19 29 92 24 54 54 25 18 10 16 45 89 17 68 8	72 269 4 27 82 218 78 744 119 12 79 119 12 780	4,778 10,677 7,651 6,497 7,655 1,876 2,616 2,488 13,427 3,746 7,074 1,753 2,948 8,596 5,317 1,263 8,081 1,797 14,408	10 9 5 4 8 11 6 10 18 25	201 315 107 160 588 56 56 353 1,224 164 808 87 105 413 365 83 81 158 1,063
2 2 1 1 	162 81 26 29 61 80	276 142 55 48 59 83	541 9 6 11 8	89 62 8 8 6 19	59 28 10 19 18 20	124 75 15 29 46 22	367 150 59 136 36 86	1,068 178 74 241 206 86	613 280 154 206 145 22	 2 1 4	1,221 264 178 379 252 120	3 12 12 43 15 7	39 3 10 13 	848 20 27 70 42 22	9,001 2,907 1,295 2,426 2,044 987	2 14 7 7 4	464 164 87 104 87 45
154	6,538	9,042	1,920	1,934	3,347	5,128	17,983	83,111	33,378	128	51,478	2,101	1,518	8,174	329,299	515	18,876
161	7,431	10,186	2,268	2,076	3,668	5,808	20,294	35,816	37,494	142	5 8,587	2,178	1,766	9,912	369,147	653	21,616

STATEMENT III A.—Showing the result of the Major Surgical Operations performed in the Dispensaries of Rajputana during the year 1884.

			BRI	TISH	PROV	INCE.					N	ATIV	E STA	TES.		
	1883.				RES	ULT.			1883.				RES	ULT.		
Nature of Operation,	Remained on 31st December 1883.	Performed during the year.	Total.	Cured.	Believed.	Discharged otherwise.	Died.	Bemaining under treatment,	Remained on 31st December 1883.	Performed during the year.	Total.	Cured,	Relieved.	Discharged otherwise.	Died.	Remaining under treatment,
EYE AND ITS APPENDAGES.																
artificial pupil	•	***					***			8	3	8	•••		•••	
ridectomy		***		***				***	1	60	61	55		5		,
solution of the lens							•••		***	1	1	1	•••			
Extraction of the lens	. 2	29	31	28				3	1	17	18	17		1	•••	
accration of opaque capsule .		1	1	1						1	1	1				
Excision of the eyeball		***					141			1	1	1				
,, ,, ,, (a) partial .		344			***	,			1	1	2	2				
Puncture of globe		1	1	1		***		sie		1	1	1	•••			
temoval of tumours from neighbourhoo of the eye.	a	4	4	4						4	4	4			•••	
Operations on abteries.																
Ligature	•	**		-						1	1	1	•••		•••	
Excision of joints							ж.			1	1	1				
Reduction of dislocation		11	11	10	•••			1		121	121	119		2	·	
Bowes.		Ä								1						
Excision of bones, partial, for necrosis	. 1	3	4	4		ano.	-		2	6	8	5			1	
" " " " injury	•									1	1	1				
,, ,, total for necrosis		4	4	4			1.1		ni.	2	2	1			1	
Operations for compound or importa- fractures.	nt 1	9	10	10	,		· · ·		3	41	44	37		5		
Amputations.																
Of arm		1	1	1						13	13	8			8	
" forearm		3	3	3			***		***	7	7	6				
" hand		2	2	2						0.						
" thigh		1	1	1						9	9	6			3	
" leg		- 0		1					2	11	13	13				
, foot	•			4				,,,		1	1	1				
Across foot										1		1				
Of fingers and toes		0		1			13			8		. 8				
_				2	100	***		***		2		2		1	ĺ	"
,, penis	1	2	2	2	-	76946	344	***	***	*	*	*	""	""	""	"

STATEMENT III A.—Showing the result of the Major Surgical Operations performed in the Dispensaries of Rajputana during the year 1884—continued.

				BR	ITISH	PROV	INCE					1	NATIV	E ST	ATES.		
		1883.				RES	ULT.			1883.				RE	out.		
Nature of Operation.		Remained on 31st December 1883,	Performed during the year.	Total.	Cured.	Believed.	Discharged otherwise,	Died.	Remaining under treatment.	Remained on 31st, December 1883,	Performed during the year,	Total.	Cured.	Believed.	Discharged otherwise.	Died.	Remaining under treatment,
Тижоцая,																	
All other tumours	•	•	17	17	17			*** .		2	78	80	70		•	1	5
CALCULI																	
Vesical by lithotomy (lateral)	•	. 1	17	18	16			2		1	58	57	53			3	3
20 19 90 (median)	•	•	2	2	1	•••		1						•••			•••
,, lithotrky	•	•	1	1	1				•••		1	1	1				
Urethral by outting	•	•	а	3	3						•••		•••	••			
Incisions.																	
Internal prethrotomy		•									1	1	1	•••			
Tenotomy	•	.						•••	•••	1	1	2	2	•••			,
Large abscesses	•			9	9						17	17	17		•••		
Puncture of liver abscess .	•	•	1	1				1	•••					•••	 .		•••
Atresia Vagines	•				400						1	1	1				
Berabative.																	
For cicatrices after burns .		.			400						. 1	1	1	•••			
Hypospadias	•										. 1	1	. 		1		
Urethral fistula	•	•			400						1	1	1				
Not glassified.							İ										
Paracentesis of abdomen .	•	-	4	5	•		•••	1	"	1	37	38	.83	•••	3	1	1
,, bladder (above p	KI BOB)	.	1	1	1			•••			•••						
,, overien dropsy	•	-			4**						2	2	2	•••	•••	***	
Spina Bifida	•	-	 ".					•••	•••	•••	1	1	*	•••		•••	1
Internal piles	•		1	1	1	•••		•••	•••		1	1	, 1 1	•••	"	•••	•••
Turning or difficult labour	•		"	4			•••	1	•••								
	•			_			···	1				_		···			
T	otal	. 5	138	143	133			6	4	15	515	530	460		21	13	17
					,		""						_~~				

STATEMENT IV .- Showing the Classes and Sexes of In-door and Out-door

1			<u> </u>				·			3 		
										TOTAL TREA	ATED D	
									, · · · · · · · · · · · · · · · · · · ·	·		Cı
No.	Na	ames of	Disper	nsaries	.		Men.	Women.	Children.	Total.	Europeans.	Eurasians.
												- B
	Вз	RITISH	Pro	ATMOR	L.							
1	Ajmere .				•	•	10,545	2,291	3,9 59	16,795	19	410
2	Kekri .	•			•		1,157	477	951	2,585	•••	2
8	Masuda .	•			•	•	828	279	885	1,492	•••	•••
4	Pisangan .	•					1,638	700	931	3,269	•••	
5	Ramsar .	•	•		•	•	966	373	879	2,218	•••	•
6	Beawar .	•	•	•	•	• ,	5,043	1,969	8,454	10,466	•••	•••
7	Todgarh .		•	•	•	•	1,739	526	758	8,023		
		•			To	tal .		6,615	11,317	39,848	19	43
			_				,					
_	Jeypore Mayo I	NATIV.		LTES.			6,568	2,385	8,111	12,014	309	8
8	Puranabasti	товрім	PI	•	•	•	8,942	1,525	2,881	8,348	10	
9	Motikatra .	•	•	•	•	•	8,866	1,536	2,366	7,768		
10	Chatsu .	•	•	•	•	• '	2,177	579	520	3,276		
11		•	•	•	•	• .	9,070	1,626	1,870	6,066		•••
12	Dausa .	•	•	•	•	• '	1,617	502	1,029	8,148	_	•••
13	Hindaun .	•	•	•	•	•	1,461	596	698	2,755	•••	
14	Jhunjhnu .	•	•	•	•	•	2,507	749	1,031	4,287		•••
15	Gangapur . Sambhar .	•	•	•	•	•	1,781	680	1,451	3,862	•••	•••
16	1	•	•	•	•	•	1,017	400	745	2,162	•••	•••
17	Sanganer .	•	•	•	•	•	1,950	695	1,018	8,663	•••	•••
18	Khetri .	ır.	•	•	•	•	2,134	536	379	8,049		
19		•	•	•	•	•	005	886	878	1,669	•••	-
20	Chirawa ,	•	•	•	•		1,206	514	501	2,221	•••	•••
21	Kotputli .	•	•	•	•	•	818	210	280	1,308	•••	•••
22	Sikar .	•	•	•	•	•	1,076	656	129	1,861	 1	•••
23	Palace .	•	•	•	•	•	2,637	778	936	4,351		
84 	Malpura .	•	•	•	•	•	2,103	688	1,023	8,814	•••	•••
25	Sri-Madhopur	•	•	•	•	•	1,558	852	1,289	8,699	•••	•••
26	Mahwa .	•	•	•	•	• •	1,540	494	465	2,499	•••	•••
27	Uniara .	•	•	•	•	•	1,348	439	536	2,323		•••
28	Jodhpore Main	Diame-	•	•	•	•	3,685	1,549	993	6,177		•••
29	Do. 1st B		wary	•	•	• '	2,835	1,118	1,711	5,659	•••	
80	Do. 2nd		•	•	•	•	1,620	438	450	2,508	•••	•••
81 20		**	•		•	•	1,360	438	545	2,843		
32	Nagaur ,	•	•	•	•	•	2,519	1,348	1,462	5,889	•••	•••
88	Pali .	•	•	•	•	•	973	1,348	820	1,438	 2	•••
84	Jasol .	•	•	•	•	•	3,311	935	971	5,217		
35	Bikanir .	•	•	•	٠.	•	1,662	582	651	2,895	 7	Z
86	Sirohee .	, L 77		•	• *	•	4,853	876	552	6,281	1	
87	Bhurtpore Ana	n HOST	JEGJ11	•	•		1 9,500	0/0	004	- TOGI		***

Patients treated in the Dispensaries of Rajputana during the year 1884.

HE YEAR.					DAIL	Y ATTEND	ANCE.			
is.				Average N	Umber.			RATIO PER	CENT. OF	
c	đ	•								
Hindas,	Muhamma- dans.	Other Classes.	Men.	Women.	Children.	Total.	Men.	Women.	Children.	Tota
10.615	5,581	214	75·28	13:65	17:23	106.14	71	13	16	
10,615	626	1	13.59	4.50	11.00	29.09	47	15	38	
1,937	262	2	5.03	1.80	2.24	9:07	55	20	25	
1,228	700		10.63	4·61	6.83	21.57	49	22	29	
2,569	1	***	6.78	2.48	5.84	15.05	45	16	39	
1,439	779		36-69	11.65	21.46	1	52	17	81	
6,903	1,632 250	1,981 596	12.88	3.48	4.99	69·80 21· 3 5	60	16	24	
2,177	<u></u> -									-
26,868	9,780	2,744	160.81	42.17	69:09	272 07	59	16	25	
7,536	8,459	675	90-97	85·62	86·14	162-73	56	22	22	
6,499	1,511	321	85-89	13.89	25.54	75.32	48	18	84	
4,158	3,545	65	42·25	16.28	24.72	83.25	51	19	80	
1,829	921	526	19-99	11.24	9 18	40:41	49	28	23	
8,994	1,873	194	24·65	14.50	9.22	48.37	51	80	19	1
1,852	1,112	178	20·10	6.20	12:47	39.07	51	17	82	
1,833	1,175	247	83.87	9.58	10.90	54.30	62	18	20	ĺ
8,586	632	69	24-99	7.64	10:17	42.80	58	18	24	
1,788	1,643	431	16.70	8.97	15.20	40.87	41	23	87	
1,679	458	25	9.72	4.26	7.12	21.10	46	20	34	.
2,199	1.390	74	14.94	6.60	8.12	29 69	50	22	28	ł
2,029	611	409	83.68	8.08	5.67	47.43	71	17	12	
1,173	492	4	21.71	7.60	7:21	36.52	59	21	20	ł
1,156	1,046	19	15.72	9.39	8:38	83.49	47	28	25	ļ
863	276	169	14.73	4.03	4.65	23.41	63	17	20	1
1,509	889	11	7:37	7.76	1.47	16.60	44	47	9	
2,894	1,061	896	24.68	9.64	13.58	47:90	52	20	28	
3,294	509	11	14.81	6.10	9.03	29.94	50	20	80	
2,480	836	883	19:48	9 1 80	15.79	45.07	43	22	85	İ
1,875	886	238	14.09	4:41	5:23	23.73	59	19	22	
1,918	290	120	18.50	5.05	7:32	30.87	60	16	24	•
8,965	1,940	269	53-05	14.85	11.89	79.79	66	19	15	
4,388	1,191	80	20·18	13.62	17:49	51.29	39	27	34	
1,467	872	160	25.17	5.22	5.09	85·48	71	15	14	
1,099	1,149	95	17·10	5.13	7.17	29:40	58	18	24	
4,194	1,032	163	35·35	15.56	21.21	72.12	49	22	29	
859	431	146	14.53	2.37	4.30	21.10	69	11	20	
3,576	1,350	270	48.50	18.53	13.37	75:40	64	18	18	l
2,450	412	24	16.69	4.44	5.41	26.54	68	17	20	
4,635	1,645		86.28	17:93	9.42	113.94	76	16	8	
,- · -	•	1		••	~ ==	07	••	10		I

STATEMENT IV .- Showing the Classes and Sense of In-door and Out-door

1				3								8		
												TOTAL TREA	ATED D	
No.	,	Na	mes of	Dispe	meeries	L		-						CILA
						•			Men,	Women.	Children,	Total.	Europeans.	Eurasians
<u>.</u>		NAT	TVE S	TATES	—(co	ntd.)	-						Д	
89	Akhegarh			•		•			1,168	240	278	1,681		
40	Biana					•			5,180	1,326	1,738	8,244		•••
41	Deeg		•				•		5 ,061	1,002	1,345	7,408		:
42	Gopalgarh					•			1,845	549	597	2,491		
43	Kaman					•			2,989	904	1,055	4,948		•••
44	Pahari				•				3,530	425	462	4,417		
45	Rupbas								2,697	601	876	4,174		
46	Uchen								1,547	887	812	2,196		
47	Wair			•					5,085	2,030	1,471	8,586		
48	Bhasawar		•						2,872	1,437	1,396	5,705		•••
49	Ulwur			•					4,450	1,818	3,212	8,980		6
5 0	Tijara								1,314	618	1,282	3,2 09		
51	Rajgarh								2,431	990	1,357	4,778	1	•••
52	Dholpur		•						5,092	1,988	8,597	10,677	14	1
5 3	Bari		•		•				2,291	1,585	3,175	7,051		
54	Rajakhera	•							3,493	1,185	1,819	6,497		
55	Kerowlee			_		•			2,559	1,652	3,444	7,655	2	•••
56	Mandrael								1,122	316	438	1,876		
57	Sapotra								1,687	575	354	2,616		
58	Machilpur								1,280	427	781	2,488	•••	***
5 9	Tonk								6,243	2,532	4,652	13,427	•••	
60	Shahpura	•		•	٠.	·			1,811	717	1,218	8,7 <u>4</u> 6	•••	-
61	Kotah					•			4,495	1,211	1,368	7,074	•••	• ***
62	Baran		•	•	•	•	•		883	845	525	1,758	•••	"'
63	Khanpur				•		•		1,689	482	777	2,948	•••	•••
64	Jhalrapatar		•		•	•	•		5,245	1,659	1,692	8,596	•••	'''
65	Chaoni	-	•	•	•	•	•		8,161	800	1,356	5,317		***
66	Shahabad		•	•	•	•	•		827	180	256	1,263		
67	Iklera	•	•	•	•	•	•		2,052	443	256 586	1,263 8,081	•••	•••
68	Pachpahar		•	•	•	•	•		977	282	538	1,797		
69	Oodeypore		n Die	nenae	rv .	•	•		8,999	2,295	3,114	1,797		•••
70	Pertabgarh			. p	- J		•		3,7 4 0	2,295 791	1,195	5,726	•••	1
70 71	Banswara		•	•	•	•	•		4,519	1,476	3,006	9,001	•••	
72	Abu .			•			•		1,632	712	563	2,907		3
72 73	Anadra		•	•	•	•	•	- 1	777	246	272	1,295	1	
74	Deoli		•	•	•	•	•	.	1,416	342	668	1,495 2,426		•••
75	Kherwara	•	•	•	•	•	•	.	1,160	342 323	561	2,426 2,044	•••	•••
76	Sambhar (- Custo	ms)	•	•		•		618	147	222	987	84	9
				Tota	l Nati	ive Sta	tes		182,817	61,223	85,259	829,299	440	86
						то Тот		}-	204,733	67,838	96,576	369,147		80

Patients treated in the Dispensaries of Rajputana, &c.—(concluded).

		· .				4				
E YEAR.					DAIL	Y ATTEND	ANCE.			
	•			Average N	UMBER.			Batio per	CRNT. OF	
c	đ	•								
Hindus.	Muhamma- dans.	Other Claeses.	Men.	Women.	Children.	Total.	Men.	Women.	Children.	Total
1,207	474		13·69	2.54	2:92	19-15	72	13	15	
5,713	2,531		37:34	9.79	12.96	60.09	62	16	· 22·	:
4,953	2,453		41.70	7.77	10 34	59.81	70	13	. 17	
1,088	1,146	257	13.60	2.55	2.52	18.67	73	14	18	
3,162	1,786		85.07	9.52	11:41	56.00	63	17	20	
2,145	2,272		19.04	2.91	3 ·10	25.05	76	12	12	
3,309	865		20.35	4.27	6.08	30.70	66	. 14	20	
1,846	350		17:66	4.53	4.36	26.55	67	17	16	
5,538	2,672	376	24.58	8.57	7·85	40:50	61	21	18	
4,174	1,531		30.52	15:36	13.87	59.75	51	26	23	
5,101	3,070	749	78.27	22.56	40.85	141.68	55	16	29	
1,311	1,621	277	11.64	7·40	10.45	29.49	40	25	35	
8,244	959	574	32·07	12.75	17:76	62.58	51	21	28	
6,122	4,523		45.99	16.41	30.54	92.94	49	18	33	
3,854	3,197		21.38	18.65	24.95	59.98	36	23	41	
5,439	1,058		39.89			55.50	72	10	18	
		1.005		5.74	9.87	ſ	, i			
4,121 1,548	1,567 828	1,965	29.74	13.40	28.46	71.60	41	19	40	
- 1			17:45	4.54	5.35	27:34	64	17	19	
2,188	428		21.21	7.45	4.47	83.13	64	22	14	
2,174	258	5 6	12.48	4.09	7.65	24.22	51	17	82	:
5,581	7,785		61.12	25.98	44.38	131.48	46	20	84	•
8,129	438	179	87.64	11.61	26.88	76.13	49	15	36	
5,611	1,463	•••	49.05	11.86	13.08	73.99	66	16	18	
1,249	504		19.59	7.98	11.03	38.60	51	21	28	
2,502	441	5	14.20	8.71	6.07	23.98	59	16	25	:
5,383	3,213		29 40	7.87	9.29	46.56	63	17	20.	
2,454	2,719	141	31 ·80	7.17	11.86	50.83	63	14	23	
702	561	•••	16.40	3.34	4.33	24.07	68	. 14	18	
1,869	1,212		13.68	2.76	3.54	19.98	68	14	18.	
1,047	570	180	12.82	4.33	8.11	25.26	61	17	32	
11,235	2,686	481	122.59	20.45	28.01	171.05	72	12	16	
4,179	1,547	•••	16.28	4.45	6.41	27.14	60	16	24	
5,567	2,971	463	39.63	12.83	27.10	79.56	50	-16	34	
1,623	794	454	18.42	6.41	4 87	29.70	62	22	16	
906	831	57	10.69	2.89	3.74	17.32	62	17	. 21	
1,856	441	129	16.18	3·79	6.12	26.12	62	14	24	
1,327	717	•••	10.78	2.57	5.23	18.57	58	14	28 :	
432	850	24	17:08	4.05	5.24	26.36	65	15	20	
214,617	101,739	12,139	2,002-25	640.52	852·18	3,494.95	57	18	25	
241,485	111,519	14,888	2,163.06	682.69	921.27	3,767.02	57	18	25	

STATEMENT V., PART I .- Showing the Current Income and Ex-

_									3							
									Inco	MB.						
		a				ь				a	cł.	d	, d)			f
		1st			FROM	GOVER	NMENT			19	Funds.	ents.	or sits.	Subscri	PTION.	
	NAMES OF DISPENSABLES,	94.		ס	4	9	ø	18 1		other.	Fu	stm	ties	- 4 1		ne.
-		Cash Balance on January 1884.	As Salaries.	As Registers and Forms.	As European Medicines.	For Diet of Police Cases.	Sale of Medicines	Special Allowance given by Gov- ernment.	Total.	From Local or Funds.	From Municipal	Interest on Investments.	Sales of Securities or Withdrawal of Deposits.	From Europeans.	From Natives.	Total Income,
	BRITISH PROVINCE.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs,	Rs.	Rs.	· Re.	Re
	Ajmere	4,018	1,152 420		539 89			156	1,847 509	•••	360 300	160		266	1,355	8,00
	Masuda	' '''	861		83	""			444			60		i l	·	50
		· ···	240		54	""		l i	294	•••			•••			2
	Pisangan		240		55		***	•••	295	***		•••	***		 251	2.00
	Ramsar Beawar	1,522	576	:::	112	:::	:::	:::	688	•••	 800	•••	•••	18	161	3,06
	Todgarh		800		39				839	••		60				39
	TOTAL	6,958	3,289		971		<u> </u>	156	4,416		1,360	280		284	1,767	15,06
					1											
	NATIVE STATES.		l												107	1
	Jeypore Mayo Hospital Puranabasti	: :::	:::		} :::	:::		:::			:::	:::	***		***	:::
	Motikatra Chatsu	:	:::	:::	:::	:::										
	Dausa Hindaun	: :::				:::	•••		•••	•••	:::		***		***	•••
	Jhunjhnu	: :::		:::		:::			•••	•••			***	***	***	:::
	Gangapur Sambhar Sanganer	•			:::		:::	:::	•••	•••			***	-	***	:::
	Sewai-Madhopur Khetri	: :::							•••	***		***	***	***	***	
	Chirawa	: :::					:::	:::	***	•••		:: :				:::
	Kotputli Sikar	: :::		:::				:::	•••	•••			***			
	Palace Malpura	: :-	:::	:::				:::				•••	***		***	:::
	Lalsot Sri Madhopur				:::		:::	:::		•••		•••		***	***	:::
	Mahwa Uniara	•					:::	:::		•••			***		***	
	Jodhpore Main Dispensary Do. 1st Branch	: :::	•••			•••			•••			•••	***		***	
	Do. 2nd Do	: :::	:::		:::	:::						:::		***	***	
	Nagaur Pali	: :::	•••	:::	:::		•••			•••	:::	•••				
	Jasol Bikanir	: :::		:::	:::			:::				•••		***		:::
	Sirohee . Bhurtpore Anah Hospital .	: ::				:::	•••	:::	•••	•••			:::		***	:::
	Do. Dispensary .	•	:::		:::	:::	:::	:::	•••	•••		•••	***		***	:::
	Biana	• •••				:::		:::		•••					***	
	Gopalgarh Kaman	:::						:::		•••				100		
	Pahari Ruphas		:::			:::	•••		•••	···					***	
	Uchen	:	:::			:::		:::	•••		:::		***		***	:::
	Wair Bhasawar		:::					:::							***	} :::
	Ulwar Tijara	: :::	:::		:::	:::	:::	:::	•••			:::	***	***	:::	:::
	Rajgarh Dholpur	: :::	:::	:::	:::	:::		::: l	•••	•••			:::			:::
	Bari Rajakhera	: :::		ļ :::	···		:::									:::
	Kerowiee Mandrael							:::	•••							::
	Sapotra Machilpur	• •••				:::						•••			***	
	Tonk	•			•••				•••	•••			***		***	
	Kotah	•				:::							***			
	Khanpur	1 ***	•••		:::	:::	:::	•••			:::	•••		***	**	:::
		: :::		:::	:::		:::			•••				***	:::	:::
	Iklera	: :::		:::	:::] :::				•••		•••	***	***	***	
	Pachpahar Oodeypore-Sajjan Dispensary		***			:::						•••	***			
	Pertabgarh					•••				•••			**	***		
	Abu	461	600						600	•••	72	200		293	130	1,756
	Deoli														***	
	Kherwara Sambhar (Customs)		:::	:::	·	:::	:::	:::		•••		:::	***		***	:::
	N S	401							600		72	200		293	130	1,756
	TOTAL NATIVE STATES	461	600	•••	•••				•	•••		200		200	100	

penditure of Dispensaries in Rajputana during the year 1884.

		****	4					5	6	7	
			Expandi	TURE,			-	ļ .	<u> </u>	4	
a	6		ď	•	f	g		sember.	1,1	ot paid	
On Establishment.	On Bazar Medicines,	On European Medicines whether from Govern- ment Stores or Pur- chased.	On Diet.	On Miscellaneons Charges,	On Building or Repairs.	Invested during the Year.	Total Expenditure during the Year.	Cash Balance on Sist December.	Average Cost of each Diet.	Percentage of Total Cost Government.	Remarks.
Rs. 1,932 558 410 296 398 632 413	Rs. 124 19 13 18 20 42 37	Rs. 654 89 88 54 55 112 39	Ra, 177 3 82 9.	Rs. 469 40 23 40 23 187 74	Re. 102 204 2,541 400	Rs.	Rs. 3,458 912 529 408 393 3,646 971	Rs. 4,548 1,675	Pie. 11 19 11 18	53 56 84 72 75 19 85	Nors.—The debit balance of Rs. 361-8-3 against Kehri increased to Rs. 564-1-10 during the year. Nors.—The debit balance of Rs. 64-8-10 against Masuda increased to Rs. 69-48 during the year. Nors.—The debit balance of Rs. 817-3-3 against Pisangan increased to Rs. 931-48 during the year. Nors.—A debit of Rs. 461-3-9 has been incurred by Beawar during the year. Nors.—The debit balance of Rs. 445-15-6 against Todgarh increased to Rs. 1,017-10-4 during the year.
4,586	273	1,086	270	905	8,247		10,217	6,223	11	43	
2,896 852 878 309 423 443 427 447 963 413 420 996 433 433 433 433 433 433 433 433 433 43	117 3 31 9 26 43 11 1 2 2 2 1 1 1 1 2 2 2 2 2 2 2 2 2 2	1,265 133 293 33 41 45 64 41 90 66 130 100 235 42 214 21 49	1,096	339 657 744 559 557 557 445 559 557 557 445 559 557 557 445 559 557 557 445 559 557 557 557 557 557 557 557 557 55			5,711 1,053 1,251 1,251 1,251 1,251 654 654 655 651 1,254 465 653 1,327 683 592 692 685 685 685 685 685 685 685 685 685 685		18		
720 828 416 595 408 1,624 912 2,042 858 455 1,704 1,170 833 563 563	69 86 28 60 26 84 68 147 30 19 36 66 49 38	105 42 136 816 593 478 	127 161 21 128 287	99 80 79 66 78 75 92 42 34 156 191 67 66			925 1,182 524 734 500 2,063 1,076 3,225 930 508 2,576 1,905 968 790 635		14 18 18 11 21 22		
2,760 429 600 897 869 462 216 1,644	217 35 116 31 60 11 26 19	285 97 72 366 643	896 45 62 36 56	421 78 85 80 46 101 110 34	 		4,578 634 823 589 540 966 1,080 1,697	 } 491 	18 28 24 12 21	 	
51,665 56,201	3,841	10,066 11,142	4,822 5,092	5,748 6,553	66 3,318		76,198 96,415	49 1	16 15		

STATEMENT V, PART II.—Showing the Account of Invested Capital of the Dispensaries in Rajputana during the year 1884.

No.	Name of 1	Dispen	saries.		Balance January			Invested during the year.	Tota	1.		Securities sold.	Deposits withdrawn.	Balance o December	n 81 188	st 4.
					Rs.	A . 1	P.		Rs.	A.	P.			Re.	A.	P.
1	Ajmere .	•			4,000	0	0	•••	4,000	0	0	•••		4,000	0	0
2	Kekri .				•••			•••	•••			•••		•••		
8	Masuda		•		1,500	0	0		1,500	0	0	***		1,500	0	0
4	Pisangan		٠,		•••											
5	Ramsar	•	•		•••											
6	Beawar .	•	•		•••				•••				•••			
7	Todgarh	•	٠.	•	1,500	0	0		1,500	0	0			1,500	0	0
		T	o tal	•	7,000	0	0		7,000	0	0	•••		7,000	0	0
	Abu and Ar	adra	•	•	5,000	0	0		5,000	0	0	400		5,000	0	0
	GRAN	то То	TAL	•	12,000	0	0	•••	12,000	0	0			12,000	0	0

STATEMENT II.—Showing the number of Patients treated in the Jails of Rajputana during the year 1884.

1	2				3						4				
					rs of					In-DOO	B PATIEN	ITS.			
					Prisone	a	ь	e	d		f		g		
No.	Name o	f Jai	ls.		iber of	during			vise.		per per	Dail	y average	nemb	er.
					Daily average number of Prisoners of all classes.	Total treated d	Number cured,	Number relieved.	Discharged otherwise.	Died.	Ratio of deaths per cent. of total treated.	Men.	Women.	Children.	Total,
1	Ajmere .				582.68	161	149		1	2	1.24	6.28	0.13		6:41
2	Jeypore.		16		814:32	1,273	986	1	159	61	4.79	55.54	10.02		65· 5 6
3	Jodhpore	è			473.97	724	692	3		12	1.65	18.66	2.74	***	21.40
4	Bikanir				206.51	201	188		1	8	3.98	9.54	0.40		9-94
5	Sirohee .				58 99	136	136					4.10	0.34		4.44
6	Bhurtpore				182.48	794	699	31	24	11	1.38	22.15	3.24		25.39
7	Ulwur .		,		283.90	415	403			5	0.72	7.92	0.67		8.59
8	Dholpur	٠		-	93.60	301	286			11	3.65	7.15	0.43		7.58
9	Kerowlee	ç			78.83	194	179	3		7	3.60	7.00	0.90		7:90
10	Tonk .			-	60.75	156	148			6	3.83	2.76	0.10		2.86
11	Shahpura				43.77	115	112	2				2.96	0.41		3.87
12	Kotah .				268.55	310	304			3	0.96	7.04	0.92		7:96
13	Jhalrapatan		4.4		186.02	295	283	3	1			8.17	1.60		9.77
14	Oodeypore	4	9	•	268-57	559	545		***	12	2.14	11.60	0.93		12.53
	Total of Na	tive	States		8,020-26	5,478	4,961	43	185	136	2.48	164.59	22.70		187:29
	Gr.	י ממצו	Total		8,602.94	5,634	5,110	48	186	138	2:45	170.87	22.83		193.70

Statement III.—Showing the Diseases of Patients treated in the Jails of Rajputana during the year 1884.

4	100b-	duO b	da voob- qaid doa	Total Number of In-	161	1,273	724	102	136	794	416	801	194	156	116	\$10	3 6 3	629	6,478	5,634
	5			Injuries	19	2	2	4	:	8	10	ю	16	-	6	60	∞	99	158	177
			panosie	Polsons and Po	:	8	:	:	:	:	:	:	:	:	:	:	:	:	es	∞
				Debility and Old Age.	10	8	8	:	:	-	:	-	8	:	:	:	93	-	88	&
				Other Local Diseases.	22	ଛି	8	8	2	86	Ø	87	11	~	10	6	\$	3 5	88	8
			,larala	Labour, Premature, M	:	6	:	:	:	4	:	:		:	:	:	:	:	138	8
				Ulcers.	:	89	81	6	2	88	-	88	9	H	7	8	•	99	9	3
				Skin Diseases.	19	7	90	ю	9	10	:	14	9	:	10	28	Ø	9	126	1 2
			-эгч.м	Abscesses, Boils, and lows.		*	28	9	69	8	:	91	13	:	9	ន្ត	4	10	55	8
1		DISEASES.	-ilqmo	Gonorrhosa and its C	:	=	ø	9	;	-	:	8	:	10	-	M	-	10	🕱	88
				Spleen Discoses.	:	9	4	_	9	:	:	4	4	dq.	-	-	80	н	8	83
		LOCAL		Liver Diseases.	9	22	:	:	•	:	:	:	:	-	:	-	-	10	82	88
				Worms.	:	:	~	:	:	:	:	:	:	:	99	÷	1	-	2	2
				Diarrhose	94	H	139	14	01	139	3	4	17	8	21	18	16	88	688	3
				Dysentery.	0.	118	111	12	4	63	9	16	21	11	2	80	81	89	8	3
	SES.			Heart Diseases.	:	:	:	:	:	-	:	:	-	i	:	:	:	:	61	09
63	DISEASES			Respiratory Affections	Ħ	38	88	16	80	16	10	\$	6	4	15	12	8	82	38	88
				Goitre.		:	:	:	:	:	i	•	:	:	i	:	:	:	:	1:
			MINT TOUR	Inflammation of the E-	:	8	4	н	:	69	:	-	-	•	:	:	:	8	18	15
			(one-y-	-simisalinia-	80	6	91	п	::	==	4	6	14	:	:	:	91	œ	79	48
		7	-	Other Diseases of this Order.	·	:	:	:	93	:	:	:	ಣ	:	÷	4	1	4	14	1 21
				Droper.	69	-	-	တ	:	1	:	:	:	:	:	:	:	:	9	
			ses.	Phthisis.	:	93	-	-	:	:	:	:	. :	:	:	:	-	:	1 00	100
			Order B. Constitutional Diseases.	Leprosy.	:	:	:	:	:	:	:	:	-	:	:	:	:	<u>:</u>	-	-
	013		order I	Anemia.	:	1	:	93	:	10	:	:	-	_:	:	_: 	_	:	138	13
		TSEASE	nstitu	Serotula.	:	-	83	:	:	:	:	:	:	:	_: 	<u>:</u>	:	:	∞	8
		GREEKL DISEASES.	8	Syphilitie Affections.	7	8	မ	8	-	4	:	:	:	-	:	67		=	5	8
		GRAE		Rheumatie Affections.	93	53	83	7	10	Ħ	:	*	10	16	9	15	6	%	179	181
				Other Diseases of this Order.	:	09	41	-	:	:	:	:	8	:	:	:	-	:	*	38
			A. ymotio	Cholera,	:	2	:	:	:	15	:	93	æ	10	:	:	:	:	87	34
			Order A. Febrile or Zymotic Diseases.	Malarious Fever, Ague, and Remit- tent,	8	198	115	69	2	365	342	120	99	92	8	134	126	98	2,104	2,144
			Feb	Small-pox.	:	-	:	:	:	:	:	:	:	:	:	_:	:	<u>:</u>	-	-
69				NAMES OF JAILS.	Ajmere	Jeypore	Jodhpore	Bikanir	Sirohee	Bhurtpore	Ulwar	Dholpur	Kerowlee	Tonk	Shahpura	Kotah	Jhalrapatan	Ondeypore	TOTAL OF NATIVE STATES	GRAND TOTAL
<u>,,</u>]			χ. ·	1 Ajn	2 Jey	s Jod	4 Bik	5 Sin	6 Bh	7 DIV	8 Dh	9 Ke	10 To	11 Sh	12 Kc	13 Jh	<u>41</u> Q		g l

A .- In-door Patients in 1884.

			CA	528.	AVERAG	DAILY.		RESIDENCE SE, DAYS.		
	Disperbarces.		1883.	1884,	1883,	1884,	1888.	1884,		
BR ON.	(Ajmere		. 450	414	25	16	20	14		
AJMEBE DIVISION.	Kekri		. 37 . 252	83 170	2 8	8	12	17		
DIO	(Todgarh	• •	1	6				"		
		Total	. 740	623	85	25	17	15		
				•			-			
	Jeypore Mayo Hospital . Gangapur		. 516	619 6	31	37	22	22		
	Sambhar	• •		1				l l		
	Khetri	· ·	. 64	65 7	4	5	28	28		•
	Jodhpore Main Dispensary . Ditto 1st Branch .		. 88	97 2	6	6	25	28		
	Nagaur	• •	. 48	49	4	2	30	15		
	Pali		. 43	38	2-	3	17	22		,
و ہے	Bikanir	• •	. 49	44	3	2	22	17		
STATE	Sirohee		66 1,231	67 1,122	2 42	46	11 12	22 15		
STA	Ulwur		. 183	232	21	16	42	25		
E /	/ Tijara Rajgarh		. 12	13 25	2 1	1 1	61	28 14		
NATITYB	Kerowlee	• •	1114	96	6	6	19	23		•
Z	Machilpur Tonk		810	304	"iı	,	13	"ïı		
	Shahpura	•	. 163	181	7	7	16	14		
	Kotah	• •	. 252 . 162	217 130	13	11 7	19 20	18 20		
	Chaoni	• •	. 9	•••	1	′	41			
	Shahabad		. 686	10	2 86	1	20 19	36 21	•	
	Oodeypore Sajjan Dispensary Abu	• •	40	725 46	2	42	18	16		
	Anadra	•	. 9	12	1	1	41	80		
	Deoli Kherwara	• •	96	85 40	5	5 2	15 80	21 18		
	Sambhar (Customs)	• •	. 99	150	5	7	18	17		
		Total	. 4,372	4,381	221	222	18	18		
	GRAND T	OTAL	. 5,112	5,004	256	247	18	18		
•									Average da prison	ally No. of ners.
•	Jans.				,				1888.	1894.
Ajme	ore		216	161	6	6	10	18	562	. 588
1	Jeypore	• •	. 1,003 . 726	1,273 724	50 22	66 21	18 11	19 11	683 393	814 474
ا پر	Bikanir Sirohee		. 177	201	6	10	12	18	215	206
NATIVE STATES.	Bhurtpore	• •	. 198 • 467	136 79 4	4 23	4 25	7 18	11	48 183	59 182
8. E.	Ulwar		. 294	415	12	9	15	8	272	284
M V	Dholpur	• •	. 281 . 250	301 19 4	7 8	8 8	8 12	10 15	97 66	94 79
ATI	Tonk		. 123	156	2	3	6	7	69	61
74	Shahpura	• •	. 90 . 293	11 5 310	2 8	8 8	8 10	10 9	84 273	44 268
1	Jhalrapatan		. 262 . 548	295 559	9	10 12	12	12 8	183 179	186 269
		Total	. 4,712	5,473	166	187	13	12	2,695	3,020
	GRAND T	OTAT.	. 4,928	5,634	172	198	18	12	8,257	3,603

B.—Deaths in Hospitals in 1884.

	DISPERSARIES AND HO	por.	Malarial Fever.	نو	ia, Dropey Spleen.	iş.	atory Dis-	Diarrhos and Dysentery.	Abecess, Boil and Ulcer.	g	All other causes.	Qv.	YE	S OF T	KB	TOTAL.	PERCES TOTAL	TAGE OF Cabes.	
			Small-pox.	Malar	Cholera.	Ansemia, and Spl	Phthiels.	Respiratory case.	Diarri Dys.	Abee Ulce	Injuries.	All ot	let.	2nd.	3rd.	4th.		1884.	1883.
																		••	
AJKERE DIVISION.	Ajmere			18		2	•••	1	20	"i		12	9	17	10	12 1	48 2	12 7	8 5
E E	Beawar			ï.	8	ï	ï	4	5		1	5	4	2	8	7	21	12	5
A E	(Todgarh	• • •	<u></u>								•••	•••			•••				•••
		TOTAL .	::.	14	8	3	1	6	25	1	1	17	14	19	18	20	71	11	7
		1884		20	4	4	2	9	 85	<u> </u>	<u> </u>	24	20	27	25	28			
	Percentage of total		<u> </u>								-								
	destais	1883	•••	20	6	4		6	33		•••	81	27	18	20	85	•••	•••	•••
		_]					_	_		_								_
	/ Jeypore Mayo Hospits Khetri	u		11		2	4	7	7	•••	5	21	9	22	12 1	14	57 1	9 2	8 8
	Jodhpore Main Dispen	isary .		ï		:::					8	ï		3		2	5	5	7
•	Nagaur	· ,										1		1			1	2	6
	Pali · · ·			•••	•••		•••		•••		1	•••	•••	1	•••		1	8	7 100
	Jasol Bikanir		:::		···		···			•••	 2	2	2			 2	4	9	2
	Sirohee			1											1		1	1	5
ا ب	Bhurtpore Anah Hospi	ital		5	•••	3	4	2	8		 1	9	4 5	5	14	8 10	81 29	3 18	2 13
TEG	Ulwur	• •			•••		2	7	2	•••		18				10	29		33
STATES	Rajgarh			1		·			•••	•••	1		1	1		l	2	8	16
	Kerowlee			1				٠.; ا	3		1	4	3	1 3	8	4	9	9 5	9
NATIVE	Tonk			1	1	1	2	1	4		2	1			5	5	16 1	1	6 4
Z X	Kotah			ï		ï		···	8	•••	4	5	8	8	5	8	24	8	15
	Jhalrapatan]			1		1	1			3	1	3		2	6	5	4
	Chaoni		•••	ï	•••	•••			•••	•••	•••		ï		•••		1	10	11 17
	Oodeypore Sajjan Dis	pensary		8		2	4	6	4	·1			10	14	5	5	84	5	5
	Abu	·				1			1							2	2	4	7
	Anadra		•••	•••	·- <u>:</u>	1	•••	;	1	1			1	•••	1 1	1 1	3 8	25 4	11 4
	Deoli		2	•••	1	1		1	•••			···	1	ï	i	i	4	10	8
	Sambhar (Customs) .						:::	î	ï			ï		ī		2	3	2	2
		TOTAL .	2	27	2	17	16	83	40	· <u>2</u>	25	74	48	64	59	67	238		6
		¢ 1884 .	<u></u>	11	1	7	7	14	17	1	10	31	20	27	25	28			•••
	Percentage of total deaths.							14	17						20	20	•••		•••
									1			28		I					
	•	(1883	1	6	4	10	8	17	19	8	9	20	19	30	24	27			
	·		-	6	4	10	8	17	19	8	9	20	19	30	24	27		Ratio p	er, 1,000 average
	Jaile		-	6	4	10	8	17	19	8	9	20	19	30	24	27		Ratio p	
	JAIL			6	4	10	8	17	19	3	9	20	19	30	24	27		Ratio p	er, 1,000 average
												2	19	30	24	27	2	Ratio p of daily of pri	er, 1,000 average soners.
							8						1			1		Ratio pof daily of pri	er. 1,000 average soners.
	Ajmere												1 Ratio	per 1,		l ison-		Ratio pof daily of pri	er. 1,000 average soners.
	Ajmere												1 Ratio	per 1,		l ison-		Ratio pof daily of pri	er. 1,000 average soners.
										•••		2	1 Ratio	per 1,	 100 pr	l ison-	2	Ratio p of daily of pri	er 1,000 average soners. 1883.
	Ajmere . Percentage of total deaths.	1884										100	Ratio ers 8	per 1, per 2 12	 100 pr nnum 20	ison-		Batio p of daily of pri	er, 1,000 average soners.
	Ajmere											2	Ratio ers	 per 1, per a 12 8	 100 pr nnum 20 29	1 8 12 19 5		Ratio p of daily of pri 1894.	er, 1,000 average soners. 1883. 11 50 40
	Ajmere . Percentage of total deaths. Jeypore . Jodhpore . Bikanir .	1884		7	 12		2		17 24		83	2 100 83 8	1 Ratio ers 8 12 5 4	per 1, per 2, 12 8 2 8	 100 pr nnum 20 29 1	1 8 12 19 5	 61 12 8	Ratio p of daily of pri 1894.	er. 1,000 average soners. 1888. 111 50 440 19
TRG.	Percentage of total deaths. Jeypore	\$		 7 1		 2 2	 2 1	 17 6 2 1	17 24 3 2		 33 1	100 83 8 6 1	1 Ratioers 8 12 5 4	per 1, per a 12 8 2 8	 100 pr nnum 20 29 1 8	1 1 1 1 1 1 1 1 1 1		Ratio p of daily of pri 1894.	er. 1,000 average soners. 1883. 111 50 40 19 42
Tates.	Ajmere . Percentage of total deaths. Jeypore . Jodhpore . Bikanir .	1884		 7		 2 2	2 1	 17 6 2 1	 17 24 3 2		 33 1	100 33 8 6 1	1 Ratio ers 8 12 5 4	per 1, per a 12 8 2 8 1 1	 100 pr nnum 20 29 1 8 5	1 1 1 1 1 1 1 1 1 1	 61 12 8 11 5	Ratio p of daily of pri 1894. 3	er.1,000 average soners. 1883. 111 50 40 19 42 49 15
STATES.	Percentage of total deaths. Jeypore	1884		 7 1 	 12 5 	 2 1	 2 1	 17 6 2 1 	 17 24 3 2 4 4 8		 33 1 	100 33 8 6 1 	1 Ratio ers 8 12 5 4 11	 per 1, per a 12 8 2 3 3 1 1	 100 pr nnum 20 29 1 3 5 1 2	1 1 1 1 1 1 1 1 1 1		Ratio p of daily of pri 1884. 3	er.1,000 average soners. 1888. 11 50 40 19 42 49 15 21
	Percentage of total deaths. Jeypore	1884		 7 1 1	 12 5 1	 2 1 	 2 1 	 17 6 2 1 4 2	 17 24 3 2 4 4 3 2 2		383 1 	100 33 8 6 1 1 2	1 Ratio ers 8 12 5 4 1 1 1 1	 per 1, per a 12 8 2 8 8 1 1 1 1	 100 pr nnum 20 29 1 8 5 1 1 2 2 2	1 18 12 19 5 2 5 2 7 8	 61 12 8 11 5	Ratio p of daily of pri 1884. 3 75 25 38 60 17 117 88	er.1,000 average soners. 1883. 11 50 40 19 42 49 15 21 45
NATIVE STATES.	Percentage of total deaths. Jeypore . Jodhpore . Bikanir . Sirohee . Bhurtpore . Ulwur . Dholpur . Kerowlee . Tonk . Shahpura .	1884		 7 1 	 12 5 	 2 1	 2 1 	 17 6 2 1 	 17 24 3 2 4 4 8 2 1			2 100 33 8 6 1 1 2	1 Ratio ers 8 12 5 4 11		 100 pr nnum 20 29 1 3 5 1 2	1 1 1 1 1 1 1 1 1 1	 61 12 8 11 5 11 7 6	Ratio p of daily of pri 1884. 3	er.1,000 average soners. 1883. 111 50 40 19 42 49 15 21 45
	Percentage of total deaths. Jeypore . Jodhpore . Bikanir . Sirohee . Bhurtpore . Ulwur . Dholpur . Kerowlee . Tonk . Shahpura . Kotah .	1884		 7 1 1 1	 12 5 1		 2 1 	 17 6 2 1 4 2	 17 24 3 2 4 4 3 2 2		33 1 	100 33 8 6 1 2 	1 Ratic ers 8 12 5 4	 per 1, per a 12 8 2 8 1 1 1	 100 pr nnum 20 29 1 8 5 1 2 2 2 5	1 1 19 5 2 5 2 7 8 1	 61 12 8 11 5 11 7 6 8	Ratio p of daily of pri 1884. 3 75 25 38 60 17 117 88 98 11	er.1,000 average soners. 1883. 111 50 40 19 42 49 15 21 45 7
	Percentage of total deaths. Jeypore	1884		 7 1 1	 12 5 1 1 5	 2 1 1 	2 1	 17 6 2 1 3 	 17 24 3 2 4 4 3 2 1 		33 1 	100 33 8 6 1 2 	1 Ratio ers 8 12 5 4	per 1, per a 12 8 2 8 1 1 1 8	 100 pr nnum 20 29 1 8 5 1 2 2 5	1 19 5 2 5 2 7 8 1	 61 12 8 11 7 6 8	Ratio p of daily of pri 1894. 3	er 1,000 average soners. 1883. 111 500 40 19 42 49 15 21 45 7 49
	Percentage of total deaths. Jeypore . Jodhpore . Bikanir . Sirohee . Bhurtpore . Ulwur . Dholpur . Kerowlee . Tonk . Shahpura . Kotah .	\$ 1884		 7 1 1 1	 12 5 1 1 5	 2 1 1 	2 1 	 17 6 2 1 4 2 8 9	 17 24 3 2 4 4 3 2 1 		38 1 	100 83 8 6 1 2 	1 Ratic ers 8 12 5 4 7	Der 1, per 1 2 8 2 8 3 1 1 1 8 4	100 pr nnum 20 29 1 3 3 5 1 2 2 5 5 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	 61 12 8 11 5 11 7 6 8 	Ratio p of daily of pri 1884. 3	er 1,000 average soners. 1883. 111 50 40 19 42 49 15 21 45 7 49 22
	Percentage of total deaths. Jeypore	1884		 7 1 1	 12 5 1 1 5	 2 1 1 	2 1	 17 6 2 1 3 	 17 24 3 2 4 4 3 2 1 		33 1 	100 33 8 6 1 2 	1 Ratio ers 8 12 5 4	per 1, per a 12 8 2 8 1 1 1 8	 100 pr nnum 20 29 1 8 5 1 2 2 5	1 19 5 2 5 2 7 8 1	 61 12 8 11 7 6 8	Ratio p of daily of pri 1894. 3	er 1,000 average soners. 1883. 111 50 40 19 42 49 15 21 45 7 49 22
	Percentage of total deaths. Jeypore	\$ 1884		 7 1 1 1 1	 12 5 1 1 5 	 2 1 1 	2 1 	 17 6 2 1 4 2 8 9	 17 24 3 2 4 4 3 2 1 		33 1 	100 88 86 1 2 	1 Ratio ers 8 12 5 4 7 19 Ratio	per 1, per a 12 8 2 8 1 1 1 3 4	100 pr nnum 20 29 1 8 5 1 2 2 5 1 49 000 pr	1 1 19 5 2 5 2 7 8 1 1 44	 61 12 8 11 5 11 7 6 8 	Ratio p of daily of pri 1884. 3	er 1,000 average soners. 1883. 111 500 40 19 42 49 15 21 45 7 49
	Percentage of total deaths. Jeypore	1884		 7 1 1 1 2 13	 12 5 1 1 5 	 2 1 		 17 6 2 1 4 2 9	 17 24 3 2 4 4 8 2 1 1		333 1	100 83 8 6 1 1 2 18	1 Ratio ers 8 12 5 4 7 19 Ratio	per 1, per a 12 8 2 8 1 1 1 3 4	100 pr nnum 20 29 1 3 3 5 1 2 2 5 5 1	1 1 19 5 2 5 2 7 8 1 1 44	 61 12 8 11 5 11 7 6 8 	Ratio p of daily of pri 1884. 3	er 1,000 average soners. 1883. 111 50 40 19 42 49 15 21 45 7 49 22
	Percentage of total deaths. Jeypore	1884		 7 1 1 1 1	 12 5 1 1 5 	 2 1 1 	2 1 	 17 6 2 1 4 2 8 9	 17 24 3 2 4 4 3 2 1 		33 1 	100 88 86 1 2 	1 Ratic ers 8 12 5 4 4 7 19 Ratic ers 8 7 19	Per 1, Per 2 8 2 8 1 1 1 1 1 1 1 1	100 pr nnum 20 29 1 8 5 1 2 2 5 5 1 449 000 pr nnum	1 1 1 1 1 1 1 1 1 1	 61 12 8 11 7 6 12 136	Ratio p of daily of pri 1894. 3	er 1,000 average soners. 1883. 111 500 40 19 42 49 15 21 45 7 49 22 33

STATEMENT C .- Detailed statement of Major Surgical Operations performed

								Вигт	sa P	ROVI	rcz.															Nat	EIV B
Nature	Nature of Operation.								Deswar.	Todesch.		Tores		Jeenore.		Paranapasti.		į		Hindenn		Thundhun			Camiga pure.	, and the second	· Managara
						Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Свеев.	Deaths.	Cases.	Deaths.
EYR AND Artificial pupil	IIS APP	BNDAG	338,	:						::				16				"ï				.:. 8		3	::	. ,	
Solution of the lens Extraction of the lens Laceration of opeque caper Excision of the eye-ball Puncture of globe Removal of tumours from) partial	_				26				 1	::	29 1 	:::::::::::::::::::::::::::::::::::::::	 1 1	:::::::::::::::::::::::::::::::::::::::		::	"i "i	::					"i			
OPERATIO				re ele	•		'				***		•••	•••	•••		•••	•••	•••			***	•••	•••	•••		
Ligatore	 Joints	•	•	•.	•	- -	•																				-4-
Excision of joints Reduction of dislocation	·	:	:	:	:	:	š		:::	 3	:::	iï	:::	۳.	:::	 2		 	:::	 3	:::	:::	:::	:::	::: !	ï	
Excision of bones, partial, "," total, Operations for compound	for inju	rosis iry rosis	: !ractu	res.	:	: •	5 5 9	: :::				8 4 9		4 	1 "i 					:::		 					,
Ам	PUŽATIO	ws.																									
Of arm , forearm , hand , thigh , leg , foot Across foot Of fingers and toes , penis , tongue, partial		•	•	:			i	1				1 8 2 1 1 4 		3 2 3 2 2 1	1							1	1	***		1	
	Tumour 	.	•	•		. 1	o	. 1		6		17		15		•••				1						•	
	Carcul	ı.																			•						
Vesical by lithotomy (late " inthotrity . Urethral by cutting .	ral) iian)		•	:	:	: •	9 1 2	:	1	1 		17 2 1 3	3 1 	8 1 	1	:::				:::) 		1			
Internal urethrotomy .		r s.	•	•	•																						
Tenotomy Large abscesses Puncture of liver abscess Atresia Vaginse		:	•	:	:			i		:::	:::	9 1 	ï	3 	:::					:::	:::		 				
Ri For cicatrices after burns	epa rat i'	73 .																									
Hypospadias Urethral fistula		:	:	:	:		• •••		:::	:::			•••					:::								•••	
Nor Paracentesis of abdomen bladder (a ovarian dr Spina Bifda	bove pu		:	:	:		5 1			 	••• ••• •••	5 1 	1 	11			::: :::										
Removal of fostal remains Internal piles Furning or difficult labour	: :	:	:	:	:		.	:::	:::	:::	:::	1 	ii	:::	::	::: :::	:::	::: -	:::		:::	 		 	::: 	::: 	-
			To	PAL	•	: 110	3	17	3	11	•••	138	6	81	4	2	•••	3		5		9	1	5		15	٠.,

8tv.	T 356.				,																												
	Banganer.	Rowai. Ma.	dhopar.		Khotzi.		Chierra.		Biker.	;	Kalpur.		Labot.	Rri. Madha	pur.		Kahwa.		Uniers.	Jodhpore	Main Dis- pensary.	Jodhpore	Pranch.		Nagsur.		Pali.		Mkanir.	Bhurtpore	pital.		Dispensary.
Cases.	Deaths.	Cases.	Deaths.	Change	Deaths.	Cases.	Deaths.	Cases	Deaths.	Cases.	Deaths.	Chaed	Deaths.	Cases	Deaths.	C. See	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases	Deaths.	3	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cason.	Deaths.	Cases.	Deaths.
		3		8		7		1		5		2		••• ••• ••• ••• ••• ••• •••				ï												**** *** *** *** *** *** ***		040 040 040 040 040 040	000 000 000 000 000 000 000
•••																•••				1			**									•••	
ï	:::	:::		ï				ï	:::			:::			:::	6		:::		23		ï	:::	ï	:::				:::	ij	:::		
	::: :::			ï					•••	ï										ii									::: :::			 1	•••
																 1				6	1			1	i	1 1 				3		 	
•••						1		•••							ļ					*				8	 			6	1	8			
	::: :::	••	•••									1								4	1									 		•••	
***	 	 1					:::													 5			•••		:::::::::::::::::::::::::::::::::::::::	:::::::::::::::::::::::::::::::::::::::		 		 1 			
•••	::: :::	:: :::				 				::	::						::	 	::	 	:: ::		:::::::::::::::::::::::::::::::::::::::	::		 				* 	:::	•••	
		 1 			:::::::::::::::::::::::::::::::::::::::	:::::::::::::::::::::::::::::::::::::::		:::::::::::::::::::::::::::::::::::::::	:::::::::::::::::::::::::::::::::::::::	1	:::::::::::::::::::::::::::::::::::::::	:::::::::::::::::::::::::::::::::::::::	:::::::::::::::::::::::::::::::::::::::	:::::::::::::::::::::::::::::::::::::::			:::::::::::::::::::::::::::::::::::::::	:::::::::::::::::::::::::::::::::::::::		28	:::::::::::::::::::::::::::::::::::::::	:::::::::::::::::::::::::::::::::::::::	:::::::::::::::::::::::::::::::::::::::	1						9	1		
1		7		11		8		2		11		7		2		7		2		61	2	1		11	1	8		13	1	40	1	8	